

```
dora@dora-OptiPlex-790:~$ git clone https://github.com/matthiasbock/dymo-cups-drivers.git
Cloning into 'dymo-cups-drivers'...
remote: Enumerating objects: 565, done.
remote: Total 565 (delta 0), reused 0 (delta 0), pack-reused 565
Receiving objects: 100% (565/565), 374.86 KiB | 1.41 MiB/s, done.
Resolving deltas: 100% (385/385), done.
dora@dora-OptiPlex-790:~$ cd dymo-cups-drivers
dora@dora-OptiPlex-790:~/dymo-cups-drivers$ ./build.sh
configure.ac: warning: missing AC_PROG_MAKE_SET wanted by: build.sh:19
configure.ac: warning: missing AC_TYPE_MODE_T wanted by: src/lw/tests/MOCK_LWLMPrintEnvironmen...
configure.ac: warning: missing AC_TYPE_SSIZE_T wanted by: src/common/CupsPrintEnvironment.cpp:...
configure.ac:95: installing './compile'
Makefile.am: installing './INSTALL'
Makefile.am: installing './COPYING' using GNU General Public License v3 file
Makefile.am: Consider adding the COPYING file to the version control system
Makefile.am: for your code, to avoid questions about which license your project uses
samples/custom_paper/Makefile.am: installing './depcomp'
parallel-tests: installing './test-driver'
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
/home/dora/dymo-cups-drivers/missing: Unknown '--is-lightweight' option
Try `/home/dora/dymo-cups-drivers/missing --help' for more information
configure: WARNING: 'missing' script is too old or missing *****...
checking for a thread-safe mkdir -p... /bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking for cups-config... /usr/bin/cups-config
checking whether make supports the include directive... yes (GNU style)
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
checking dependency style of gcc... gcc3
checking for cupsMarkOptions in -lcups... yes
checking for cupsRasterReadHeader in -lcupsimage... yes
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /bin/grep
checking for egrep... /bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking cups/cups.h usability... yes
checking cups/cups.h presence... yes
checking for cups/cups.h... yes
checking cups/raster.h usability... yes
checking cups/raster.h presence... yes
checking for cups/raster.h... yes
checking for g++... g++
```

```
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking for gcc... (cached) gcc
checking whether we are using the GNU C compiler... (cached) yes
checking whether gcc accepts -g... (cached) yes
checking for gcc option to accept ISO C89... (cached) none needed
checking whether gcc understands -c and -o together... (cached) yes
checking dependency style of gcc... (cached) gcc3
checking for ANSI C header files... (cached) yes
checking fcntl.h usability... yes
checking fcntl.h presence... yes
checking for fcntl.h... yes
checking for stdlib.h... (cached) yes
checking for string.h... (cached) yes
checking for unistd.h... (cached) yes
checking for stdbool.h that conforms to C99... yes
checking for _Bool... yes
checking for an ANSI C-conforming const... yes
checking for inline... inline
checking for size_t... yes
checking for memset... yes
checking for strcasecmp... yes
checking that generated files are newer than configure... done
configure: creating ./config.status
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating src/common/tests/Makefile
config.status: creating src/lm/Makefile
config.status: creating src/lm/tests/Makefile
config.status: creating src/lw/Makefile
config.status: creating src/lw/tests/Makefile
config.status: creating ppd/Makefile
config.status: creating docs/Makefile
config.status: creating samples/Makefile
config.status: creating samples/paper_list/Makefile
config.status: creating samples/paper_bounds/Makefile
config.status: creating samples/test_label/Makefile
config.status: creating samples/custom_paper/Makefile
config.status: creating samples/custom_paper_tape/Makefile
config.status: creating src/config.h
config.status: executing depfiles commands
Making all in src
make[1]: Entering directory '/home/dora/dymo-cups-drivers/src'
(CDPATH="${ZSH_VERSION+." && cd .. && autoheader)
rm -f stamp-h1
touch config.h.in
cd .. && /bin/bash ./config.status src/config.h
config.status: creating src/config.h
config.status: src/config.h is unchanged
make all-recursive
make[2]: Entering directory '/home/dora/dymo-cups-drivers/src'
Making all in lw
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
Making all in tests
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
depbases=`echo raster2dymolw.o | sed 's|[^/]*$|.deps/&;s|\.$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT raster...
mv -f $depbases.Tpo $depbases.Po
In file included from raster2dymolw.cpp:37:
```

```

../common/CupsFilter.h: In member function 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::In...
../common/CupsFilter.h:219:46: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: Use...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD")); *****
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:22: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:59: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value); *****
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:44: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:67: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:15: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |                                     ^~~~~~
raster2dymolw.cpp: In function 'int main(int, char**)':
raster2dymolw.cpp:60:46: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: Use cu...
 60 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD")); *****
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |                                     ^~~~~~

```

```
raster2dymolw.cpp:60:46: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: Use cu...
 60 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD")); *****...
    |   ^
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>::...
raster2dymolw.cpp:68:35:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |   ^~~~~~
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |   ^~~~~~ *****...
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |   ^~~~~~
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |   ^~~~~~ *****...
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |   ^~~~~~ *****...
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |   ppdMarkDefaults(ppd);
    |   ^~~~~~
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |   ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |   ppdMarkDefaults(ppd);
    |   ^~~~~~
In file included from ../common/CupsFilter.h:26,
    |   from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
```

```

384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 | ppdMarkDefaults(ppd);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 | ppdMarkDefaults(ppd);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 | ppdMarkOption(ppd, Options[i].name, Options[i].value);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 | ppdMarkOption(ppd, Options[i].name, Options[i].value);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 | ppdMarkOption(ppd, Options[i].name, Options[i].value);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 | ppdMarkOption(ppd, Options[i].name, Options[i].value);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 | cupsMarkOptions(ppd, OptionCount, Options);
    | ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here

```

```
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 | cupsMarkOptions(ppd, OptionCount, Options);
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 | cupsMarkOptions(ppd, OptionCount, Options);
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 | cupsMarkOptions(ppd, OptionCount, Options);
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      | ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
```

```

377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>:::...
raster2dymolw.cpp:73:35:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |                               ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |                               ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |                               ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |                               ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |                               ^~~~~~

```

```

In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |                       ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |             ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |             ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |             ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |             ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    |             ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ^~~~~~

```



```

In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |                ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |                ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |                ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |                ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |                ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |     ^~~~~~

```

```

In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
     |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
     |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
     |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
     |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
     |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
     |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
     |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
     |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
     |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
     |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
     |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
     |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
     |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
     |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
     |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
     |     ^~~~~~

```

```

In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>::...
raster2dymolw.cpp:84:37:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:

```

```

../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:

```

```

../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:

```

```

../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ~~~~~^~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ~~~~~^~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ~~~~~^~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ~~~~~^~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ~~~~~^~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>::...
raster2dymolw.cpp:89:37:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here

```

```

389 | extern ppd_file_t *ppdOpenFile(const char*filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here

```

```

385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here

```



```

377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here

```

```

364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    | ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>::...
raster2dymolw.cpp:103:37:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    | from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ^~~~~~

```

```

In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ^~~~~~

```

```

In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...'
 239 | cupsMarkOptions(ppd, OptionCount, Options);
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...'
 239 | cupsMarkOptions(ppd, OptionCount, Options);
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |           ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 | ppdClose(ppd);
    |           ^~~~~~

```

```

In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void  ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void  ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void  ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void  ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 |     ppdClose(ppd);
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void  ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>:::...
raster2dymolw.cpp:108:37:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
                 from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |           ^~~~~~
In file included from raster2dymolw.cpp:37:

```

```

../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |     ppdMarkDefaults(ppd);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
    |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:

```

```

../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |         ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |         ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |         ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |         ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |         ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |         ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |     ^~~~~~
In file included from raster2dymolw.cpp:37:

```

```

../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
    |                                     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |     ^~~~~~
In file included from raster2dymolw.cpp:37:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
    |     ^~~~~~
In file included from ../common/CupsFilter.h:26,
    from raster2dymolw.cpp:37:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
    |     ^~~~~~
depbases=`echo LabelWriterDriver.o | sed 's|[^/]*$|.deps/&;s|\.\o$||'`; \

```



```
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT LabelW...
mv -f $debase.Tpo $debase.Po
debase=`echo LabelWriterLanguageMonitor.o | sed 's|[[^/]|$|.deps/&|;s|\|.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT LabelW...
mv -f $debase.Tpo $debase.Po
debase=`echo CupsFilterLabelWriter.o | sed 's|[[^/]|$|.deps/&|;s|\|.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT CupsFi...
mv -f $debase.Tpo $debase.Po
CupsFilterLabelWriter.cpp: In static member function 'static void DymoPrinterDriver::CDriverIn...
CupsFilterLabelWriter.cpp:28:63: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 28 |   ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "Resolution");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelWriter.cpp:28:63: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 28 |   ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "Resolution");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelWriter.cpp:39:55: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 39 |   choice = ppdFindMarkedChoice(ppd, "DymoPrintQuality");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelWriter.cpp:39:55: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 39 |   choice = ppdFindMarkedChoice(ppd, "DymoPrintQuality");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelWriter.cpp:51:55: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 51 |   choice = ppdFindMarkedChoice(ppd, "DymoPrintDensity");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelWriter.cpp:51:55: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 51 |   choice = ppdFindMarkedChoice(ppd, "DymoPrintDensity");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelWriter.cpp: In static member function 'static void DymoPrinterDriver::CDriverIn...
CupsFilterLabelWriter.cpp:103:62: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, cons...
 103 |   ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "InputSlot");
    |                                     ^
In file included from CupsFilterLabelWriter.h:26,
    from CupsFilterLabelWriter.cpp:21:
```

```

/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^
CupsFilterLabelWriter.cpp:103:62: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
 103 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "InputSlot");
      |                                             ^
In file included from CupsFilterLabelWriter.h:26,
      | from CupsFilterLabelWriter.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                                     ^
depbases=`echo ../common/CupsPrintEnvironment.o | sed 's|[^/]*$|.deps/&;s|\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT ../com...
mv -f $depbases.Tpo $depbases.Po
depbases=`echo ../common/Halftoning.o | sed 's|[^/]*$|.deps/&;s|\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT ../com...
mv -f $depbases.Tpo $depbases.Po
depbases=`echo ../common/ErrorDiffusionHalftoning.o | sed 's|[^/]*$|.deps/&;s|\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT ../com...
mv -f $depbases.Tpo $depbases.Po
depbases=`echo ../common/NonLinearLaplacianHalftoning.o | sed 's|[^/]*$|.deps/&;s|\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT ../com...
mv -f $depbases.Tpo $depbases.Po
depbases=`echo ../common/DummyLanguageMonitor.o | sed 's|[^/]*$|.deps/&;s|\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT ../com...
mv -f $depbases.Tpo $depbases.Po
g++ -O2 -Wall -Wno-unknown-pragmas -o raster2dymolw raster2dymolw.o LabelWriterDriver.o L...
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
Making all in lm
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
Making all in tests
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
depbases=`echo raster2dymolm.o | sed 's|[^/]*$|.deps/&;s|\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT raster...
mv -f $depbases.Tpo $depbases.Po
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h: In member function 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::In...
../common/CupsFilter.h:219:46: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |     ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |                                     ^
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:22: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
      |                                     ^
In file included from ../common/CupsFilter.h:26,
      | from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |                                     ^
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:59: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |                                     ^
In file included from ../common/CupsFilter.h:26,

```

```

        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |                ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:44: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 | cupsMarkOptions(ppd, OptionCount, Options);
      |                ^
In file included from ../common/CupsFilter.h:26,
        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |                ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:67: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
 244 | ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |                ^
In file included from ../common/CupsFilter.h:26,
        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
 377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |                ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:15: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
 249 | ppdClose(ppd);
      |     ^
In file included from ../common/CupsFilter.h:26,
        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
 364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
      |     ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
../common/CupsFilter.h:100:3: required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>::...
raster2dymolm.cpp:53:33: required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 | ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |                ^~~~~~
In file included from ../common/CupsFilter.h:26,
        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |                ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 | ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |                ^~~~~~
In file included from ../common/CupsFilter.h:26,
        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |                ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 | ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |                ^~~~~~
In file included from ../common/CupsFilter.h:26,
        from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |                ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...

```

```

219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |   ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |   ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...

```

```

235 |         ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |         ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
235 |         ppdMarkOption(ppd, Options[i].name, Options[i].value);
      |         ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
      |     ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
      |         ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      |         from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
      |         ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...

```

```
244 |   ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |   ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |   ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |   ppdClose(ppd);
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |   ppdClose(ppd);
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |   ppdClose(ppd);
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |   ppdClose(ppd);
|   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
|   from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h: In instantiation of 'void DymoPrinterDriver::CCupsFilter<D, DI, LM>::I...
```

```

../common/CupsFilter.h:100:3:   required from 'int DymoPrinterDriver::CCupsFilter<D, DI, LM>::...
raster2dymolm.cpp:58:33:   required from here
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:219:32: warning: 'ppd_file_t* ppdOpenFile(const char*)' is deprecated: ...
 219 |   ppd_file_t* ppd = ppdOpenFile(getenv("PPD"));
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:389:20: note: declared here
 389 | extern ppd_file_t *ppdOpenFile(const char *filename) _CUPS_DEPRECATED_1_6_MSG("Use cup...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
      |   ~~~~~^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |   ppdMarkDefaults(ppd);
      |   ~~~~~^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...

```

```

|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:229:18: warning: 'void ppdMarkDefaults(ppd_file_t*)' is deprecated: Use...
 229 |     ppdMarkDefaults(ppd);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:384:14: note: declared here
 384 | extern void ppdMarkDefaults(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDe...
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:235:20: warning: 'int ppdMarkOption(ppd_file_t*, const char*, const cha...
 235 |     ppdMarkOption(ppd, Options[i].name, Options[i].value);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:385:13: note: declared here
 385 | extern int ppdMarkOption(ppd_file_t *ppd, const char *keyword,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
 239 |     cupsMarkOptions(ppd, OptionCount, Options);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
 362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...

```



```

|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:239:18: warning: 'int cupsMarkOptions(ppd_file_t*, int, cups_option_t*)...
239 |     cupsMarkOptions(ppd, OptionCount, Options);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:362:13: note: declared here
362 | extern int cupsMarkOptions(ppd_file_t *ppd, int num_options, cups_option_t *options) ...
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:244:45: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, const ...
244 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoHalftoning");
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...

```

```

|           ^~~~~~
In file included from raster2dymolm.cpp:34: *****
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|           ^~~~~~
In file included from raster2dymolm.cpp:34:
../common/CupsFilter.h:249:11: warning: 'void ppdClose(ppd_file_t*)' is deprecated: Use cupsCo...
249 |     ppdClose(ppd);
|           ^~~~~~
In file included from ../common/CupsFilter.h:26,
      from raster2dymolm.cpp:34:
/usr/include/cups/ppd.h:364:14: note: declared here
364 | extern void ppdClose(ppd_file_t *ppd) _CUPS_DEPRECATED_1_6_MSG("Use cupsCopyDestInfo ...
|           ^~~~~~
depbases=`echo LabelManagerDriver.o | sed 's|[^/]*$|.deps/&|;s|\.|$|'|'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT LabelM...
mv -f $depbases.Tpo $depbases.Po
depbases=`echo CupsFilterLabelManager.o | sed 's|[^/]*$|.deps/&|;s|\.|$|'|'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT CupsFi...
mv -f $depbases.Tpo $depbases.Po
CupsFilterLabelManager.cpp: In static member function 'static void DymoPrinterDriver::CDriverI...
CupsFilterLabelManager.cpp:30:67: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
30 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoCutOptions");
|                                           ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
CupsFilterLabelManager.cpp:30:67: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
30 |     ppd_choice_t* choice = ppdFindMarkedChoice(ppd, "DymoCutOptions");
|                                           ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
CupsFilterLabelManager.cpp:42:57: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
42 |     choice = ppdFindMarkedChoice(ppd, "DymoLabelAlignment");
|                                           ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~
CupsFilterLabelManager.cpp:42:57: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
42 |     choice = ppdFindMarkedChoice(ppd, "DymoLabelAlignment");
|                                           ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
|           ^~~~~~

```

```

CupsFilterLabelManager.cpp:57:66: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
57 |     choice = ppdFindMarkedChoice(ppd, "DymoPrintChainMarksAtDocEnd");
    |                                     ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelManager.cpp:57:66: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
57 |     choice = ppdFindMarkedChoice(ppd, "DymoPrintChainMarksAtDocEnd");
    |                                     ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelManager.cpp:65:58: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
65 |     choice = ppdFindMarkedChoice(ppd, "DymoContinuousPaper");
    |                                     ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelManager.cpp:65:58: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
65 |     choice = ppdFindMarkedChoice(ppd, "DymoContinuousPaper");
    |                                     ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelManager.cpp:73:52: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
73 |     choice = ppdFindMarkedChoice(ppd, "DymoTapeColor");
    |                                     ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
CupsFilterLabelManager.cpp:73:52: warning: 'ppd_choice_t* ppdFindMarkedChoice(ppd_file_t*, con...
73 |     choice = ppdFindMarkedChoice(ppd, "DymoTapeColor");
    |                                     ^
In file included from CupsFilterLabelManager.cpp:21:
/usr/include/cups/ppd.h:377:22: note: declared here
377 | extern ppd_choice_t *ppdFindMarkedChoice(ppd_file_t *ppd,
    |                                     ^
debase=`echo LabelManagerLanguageMonitor.o | sed 's|[^/]*$|.deps/&|;s|\\.o$||'`; \
g++ -DHAVE_CONFIG_H -I. -I../src -I../common -O2 -Wall -Wno-unknown-pragmas -MT LabelM...
mv -f $debase.Tpo $debase.Po
g++ -O2 -Wall -Wno-unknown-pragmas -o raster2dymolm raster2dymolm.o LabelManagerDriver.o ...
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
Making all in common/tests
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/src'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/src'
Making all in ppd
make[1]: Entering directory '/home/dora/dymo-cups-drivers/ppd'
make[1]: Nothing to be done for 'all'.
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/ppd'
Making all in docs
make[1]: Entering directory '/home/dora/dymo-cups-drivers/docs'
make[1]: Nothing to be done for 'all'.

```

```
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/docs'
Making all in samples
make[1]: Entering directory '/home/dora/dymo-cups-drivers/samples'
Making all in paper_bounds
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
Making all in paper_list
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_list'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_list'
Making all in test_label
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/test_label'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/test_label'
Making all in custom_paper
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
Making all in custom_paper_tape
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples'
make[2]: Nothing to be done for 'all-am'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[1]: Entering directory '/home/dora/dymo-cups-drivers'
make[1]: Nothing to be done for 'all-am'.
make[1]: Leaving directory '/home/dora/dymo-cups-drivers'
dora@dora-OptiPlex-790:~/dymo-cups-drivers$ ./configure
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
/home/dora/dymo-cups-drivers/missing: Unknown '--is-lightweight' option
Try `/home/dora/dymo-cups-drivers/missing --help' for more information
configure: WARNING: 'missing' script is too old or missing
checking for a thread-safe mkdir -p... /bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking for cups-config... /usr/bin/cups-config
checking whether make supports the include directive... yes (GNU style)
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
checking dependency style of gcc... gcc3
checking for cupsMarkOptions in -lcups... yes
checking for cupsRasterReadHeader in -lcupsimage... yes
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /bin/grep
checking for egrep... /bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
```

```
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking cups/cups.h usability... yes
checking cups/cups.h presence... yes
checking for cups/cups.h... yes
checking cups/raster.h usability... yes
checking cups/raster.h presence... yes
checking for cups/raster.h... yes
checking for g++... g++
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking for gcc... (cached) gcc
checking whether we are using the GNU C compiler... (cached) yes
checking whether gcc accepts -g... (cached) yes
checking for gcc option to accept ISO C89... (cached) none needed
checking whether gcc understands -c and -o together... (cached) yes
checking dependency style of gcc... (cached) gcc3
checking for ANSI C header files... (cached) yes
checking fcntl.h usability... yes
checking fcntl.h presence... yes
checking for fcntl.h... yes
checking for stdlib.h... (cached) yes
checking for string.h... (cached) yes
checking for unistd.h... (cached) yes
checking for stdbool.h that conforms to C99... yes
checking for _Bool... yes
checking for an ANSI C-conforming const... yes
checking for inline... inline
checking for size_t... yes
checking for memset... yes
checking for strcasecmp... yes
checking that generated files are newer than configure... done
configure: creating ./config.status
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating src/common/tests/Makefile
config.status: creating src/lm/Makefile
config.status: creating src/lm/tests/Makefile
config.status: creating src/lw/Makefile
config.status: creating src/lw/tests/Makefile
config.status: creating ppd/Makefile
config.status: creating docs/Makefile
config.status: creating samples/Makefile
config.status: creating samples/paper_list/Makefile
config.status: creating samples/paper_bounds/Makefile
config.status: creating samples/test_label/Makefile
config.status: creating samples/custom_paper/Makefile
config.status: creating samples/custom_paper_tape/Makefile
config.status: creating src/config.h
config.status: src/config.h is unchanged
config.status: executing depfiles commands
dora@dora-OptiPlex-790:~/dymo-cups-drivers$ make
Making all in src
make[1]: Entering directory '/home/dora/dymo-cups-drivers/src'
make all-recursive
make[2]: Entering directory '/home/dora/dymo-cups-drivers/src'
Making all in lw
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
```

```
Making all in tests
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
Making all in lm
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
Making all in tests
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
Making all in common/tests
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/src'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/src'
Making all in ppd
make[1]: Entering directory '/home/dora/dymo-cups-drivers/ppd'
make[1]: Nothing to be done for 'all'.
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/ppd'
Making all in docs
make[1]: Entering directory '/home/dora/dymo-cups-drivers/docs'
make[1]: Nothing to be done for 'all'.
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/docs'
Making all in samples
make[1]: Entering directory '/home/dora/dymo-cups-drivers/samples'
Making all in paper_bounds
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
Making all in paper_list
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_list'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_list'
Making all in test_label
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/test_label'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/test_label'
Making all in custom_paper
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
Making all in custom_paper_tape
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples'
make[2]: Nothing to be done for 'all-am'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[1]: Entering directory '/home/dora/dymo-cups-drivers'
make[1]: Nothing to be done for 'all-am'.
make[1]: Leaving directory '/home/dora/dymo-cups-drivers'
```

```
dora@dora-OptiPlex-790:~/dymo-cups-drivers$ sudo make install
[sudo] password for dora:
Making install in src
make[1]: Entering directory '/home/dora/dymo-cups-drivers/src'
Making install in lw
make[2]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
Making install in tests
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[4]: Nothing to be done for 'install-exec-am'.
make[4]: Nothing to be done for 'install-data-am'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw/tests'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lw'
make[4]: Nothing to be done for 'install-exec-am'.
/bin/mkdir -p '/usr/lib/cups/filter'
/usr/bin/install -c raster2dymolw '/usr/lib/cups/filter'
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/src/lw'
Making install in lm
make[2]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
Making install in tests
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[4]: Nothing to be done for 'install-exec-am'.
make[4]: Nothing to be done for 'install-data-am'.
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm/tests'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
make[4]: Entering directory '/home/dora/dymo-cups-drivers/src/lm'
make[4]: Nothing to be done for 'install-exec-am'.
/bin/mkdir -p '/usr/lib/cups/filter'
/usr/bin/install -c raster2dymolm '/usr/lib/cups/filter'
make[4]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/src/lm'
Making install in common/tests
make[2]: Entering directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/src/common/tests'
make[2]: Entering directory '/home/dora/dymo-cups-drivers/src'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/src'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/src'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/src'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/src'
Making install in ppd
make[1]: Entering directory '/home/dora/dymo-cups-drivers/ppd'
make[2]: Entering directory '/home/dora/dymo-cups-drivers/ppd'
make[2]: Nothing to be done for 'install-exec-am'.
/bin/mkdir -p '/usr/share/cups/model'
/usr/bin/install -c -m 644 lm400.ppd lm450.ppd lmpc.ppd lmpc2.ppd lmpnp.ppd lp350.ppd lw300.p...
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/ppd'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/ppd'
Making install in docs
make[1]: Entering directory '/home/dora/dymo-cups-drivers/docs'
make[2]: Entering directory '/home/dora/dymo-cups-drivers/docs'
```

```
make[2]: Nothing to be done for 'install-exec-am'.
make[2]: Nothing to be done for 'install-data-am'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/docs'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/docs'
Making install in samples
make[1]: Entering directory '/home/dora/dymo-cups-drivers/samples'
Making install in paper_bounds
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_bounds'
Making install in paper_list
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_list'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/samples/paper_list'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_list'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/paper_list'
Making install in test_label
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/test_label'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/samples/test_label'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/samples/test_label'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/test_label'
Making install in custom_paper
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper'
Making install in custom_paper_tape
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples/custom_paper_tape'
make[2]: Entering directory '/home/dora/dymo-cups-drivers/samples'
make[3]: Entering directory '/home/dora/dymo-cups-drivers/samples'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[2]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers/samples'
make[1]: Entering directory '/home/dora/dymo-cups-drivers'
make[2]: Entering directory '/home/dora/dymo-cups-drivers'
make[2]: Nothing to be done for 'install-exec-am'.
make[2]: Nothing to be done for 'install-data-am'.
make[2]: Leaving directory '/home/dora/dymo-cups-drivers'
make[1]: Leaving directory '/home/dora/dymo-cups-drivers'
dora@dora-OptiPlex-790:~/dymo-cups-drivers$
```