

# L1TrackNTuplePlot.C Updates

Justin Vega

# Terminal Printouts

- Total # of tracks per event w/o pt or eta cuts

Sample: TTbar, PU=200, 1e3 events

```
# TP/event (pt > 2) = 160.403  
# TP/event (pt > 3.0) = 54.094  
# TP/event (pt > 10.0) = 5.47  
# tracks/event (pt > 2) = 167.251  
# tracks/event (pt > 3.0) = 58.86  
# tracks/event (pt > 10.0) = 6.11
```

Before


```
# TP/event (pt > 2) = 160.403  
# TP/event (pt > 3.0) = 54.094  
# TP/event (pt > 10.0) = 5.47  
# tracks/event (no pt cut)= 179.668  
# tracks/event (pt > 2) = 167.251  
# tracks/event (pt > 3.0) = 58.86  
# tracks/event (pt > 10.0) = 6.11
```

After


# # of Tracks per phi sector histograms

- Added new histogram/entry without pT cuts

Sample: TTbar, PU=200, 1e3 events



Before




After

# DoDetailedPlots{True} additions

- Added a plot to visualize `trk_eta` leaf in .root file


Sample: TTbar, PU=200, 1e3 events



# DoDetailedPlots{True} additions

- Added a plot to visualize trk\_pt leaf in .root file


Sample: TTbar, PU=200, 1e3 events




# Resolution vs. eta plots

- Added a bin to support  $\eta \leq 2.5$


Sample: TTbar, PU=200, 1e3 events



resVsEta\_eta\_interval



resVsEta\_phi\_interval




resVsEta\_ptRel\_interval

Before


# Resolution vs. eta plots

- Added a bin to support  $\eta \leq 2.5$ 
  - set via new variable: `eta_resmax = 2.5`


Sample: TTbar, PU=200, 1e3 events



`resVsEta_eta_interval`



`resVsEta_phi_interval`




`resVsEta_ptRel_interval`

After


# Resolution vs. (low) pT plots

- Added a bin to support from  $pT \geq 1.5$  GeV


Sample: TTbar, PU=200, 1e3 events



resVsPt\_L\_eta\_interval



resVsPt\_L\_phi\_interval




resVsPt\_L\_pt\_interval

Before


# Resolution vs. (low) pT plots

- Added a bin to support from  $pT \geq 1.5$ 
  - set via new variable: `pt_resmin = 1.5`


Sample: TTbar, PU=200, 1e3 events



`resVsPt_L_eta_interval`



`resVsPt_L_phi_interval`



`resVsPt_L_pt_interval`

After

also specifically decreased the  
y-axis from 0-4GeV for this plot