

```
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/x-pack/test/functional/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/common/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/functional/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/common/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/api_integration/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/common/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/functional/config.js"
  debg Loading config file from "/Users/rashmikulkarni/my_workspace/
kibana/test/common/config.js"
  info Config loaded
  debg randomness seed: 1536643354725
  debg Starting local chromedriver at port 9515
  debg [chromedriver:ping] attempting to reach at "http://localhost:
9515"
  debg [chromedriver:ping] failure
  debg [chromedriver:ping] waiting for 500 before next ping
  debg [chromedriver:stdout] Starting ChromeDriver 2.41.578706
(5f725d1b4f0a4acbf5259df887244095596231db) on port 9515
    Only local connections are allowed.
  debg [chromedriver:ping] attempting to reach at "http://localhost:
9515"
  debg [chromedriver:ping] success
  debg [leadfoot:command] Creating session
  debg [leadfoot:command] Registering session for teardown
  debg [leadfoot:command] Completing session capabilities
  info Remote initialized
  info Starting tests

  L-: security app
    L-> "before all" hook
    L-: rbac
      L-> "before all" hook
      L-> "before all" hook
        debg users
          info [logstash_functional] Loading "mappings.json"
          info [logstash_functional] Loading "data.json.gz"
          info [logstash_functional] Skipped restore for existing index
"logstash-2015.09.22"
          | info [logstash_functional] Skipped restore for existing index
"logstash-2015.09.20"
          | info [logstash_functional] Skipped restore for existing index
"logstash-2015.09.21"
```

```
| info [logstash_functional] Indexed 0 docs into
"logstash-2015.09.22"
| info [logstash_functional] Indexed 0 docs into
"logstash-2015.09.20"
| info [logstash_functional] Indexed 0 docs into
"logstash-2015.09.21"
| debg load kibana index with default index pattern
| info [discover] Loading "mappings.json"
| info [discover] Loading "data.json.gz"
| info [discover] Waiting for snapshot of ".kibana" to complete
| debg Snapshot found-snapshots/scheduled-1536643350-
instance-0000000001 is STARTED
| debg Snapshot found-snapshots/scheduled-1536643350-
instance-0000000001 is SUCCESS
| info [discover] Deleted existing index ".kibana"
| info [discover] Created index ".kibana"
| debg [discover] ".kibana" settings {"index":
{"number_of_shards":"1","number_of_replicas":"1"}}
| info [discover] Indexed 2 docs into ".kibana"
| debg replacing kibana config doc:
{"dateFormat:tz":"UTC","defaultIndex":"logstash-*"}
| debg navigating to settings url: https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
| debg navigate to: https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
| debg ... sleep(700) start
| debg ... sleep(700) end
| debg returned from get, calling refresh
| debg currentUrl = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/
login?next=%2Fapp%2Fkibana%3F_t%3D1536643374551#/management
| appUrl = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
| debg Found login page. Logging in with username = super
| debg Finished login process currentUrl = https://
```

```
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    | debg TestSubjects.find(kibanaChrome)
    | debg findByCssSelector [data-test-subj~="kibanaChrome"]
    | debg ... sleep(501) start
    | debg ... sleep(501) end
    | debg in navigateTo url = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management?_g=()
    | debg TestSubjects.exists(statusPageContainer)
    | debg existsByDisplayedByCssSelector [data-test-
subj~="statusPageContainer"]
    | debg navigating to settings url: https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    | debg navigate to: https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    | debg ... sleep(700) start
    | debg ... sleep(700) end
    | debg returned from get, calling refresh
    | debg currentUrl = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management?_g=()
    | appUrl = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    | debg TestSubjects.find(kibanaChrome)
    | debg findByCssSelector [data-test-subj~="kibanaChrome"]
    | debg ... sleep(501) start
    | debg ... sleep(501) end
    | debg in navigateTo url = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management?_g=()
    | debg TestSubjects.exists(statusPageContainer)
    | debg existsByDisplayedByCssSelector [data-test-
subj~="statusPageContainer"]
    | debg TestSubjects.click(createRoleButton)
    | debg TestSubjects.find(createRoleButton)
    | debg findByCssSelector [data-test-subj~="createRoleButton"]
    | debg userObj.indices[0].names = logstash-*
    | debg TestSubjects.find(roleFormNameInput)
    | debg findByCssSelector [data-test-subj~="roleFormNameInput"]
    | debg priv item = all
    | debg ... sleep(500) start
    | debg ... sleep(500) end
    | debg priv item = read
    | debg ... sleep(500) start
    | debg ... sleep(500) end
    | debg priv item = view_index_metadata
```

```
    |     debg ... sleep(500) start
    |     debg ... sleep(500) end
    |     debg click save button
    |     debg TestSubjects.click(roleFormSaveButton)
    |     debg TestSubjects.find(roleFormSaveButton)
    |     findByCssSelector [data-test-subj~="roleFormSaveButton"]
    |     ... sleep(5000) start
    |     ... sleep(5000) end
    |     debg navigating to settings url: https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    |     debg navigate to: https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    |     debg ... sleep(700) start
    |     debg --- retry.try error: [POST http://localhost:9515/
session/a970e01cb96ea9c017d8008f2751980e/element/
0.41037108212187223-11/click] stale element reference: element is not
attached to the page document
        |         (Session info: chrome=68.0.3440.106)
        |         (Driver info: chromedriver=2.41.578706
(5f725d1b4f0a4acbf5259df887244095596231db),platform=Mac OS X 10.13.4
x86_64)
    |     debg TestSubjects.find(roleFormSaveButton)
    |     findByCssSelector [data-test-subj~="roleFormSaveButton"]
    |     ... sleep(700) end
    |     debg returned from get, calling refresh
    |     debg --- retry.try error: [POST http://localhost:9515/
session/a970e01cb96ea9c017d8008f2751980e/element / {"using":"css
selector","value":"[data-test-subj~=\"roleFormSaveButton\"]"}] no such
element: Unable to locate element: {"method":"css
selector","selector":"[data-test-subj~="roleFormSaveButton"]"}
        |         (Session info: chrome=68.0.3440.106)
        |         (Driver info: chromedriver=2.41.578706
(5f725d1b4f0a4acbf5259df887244095596231db),platform=Mac OS X 10.13.4
x86_64)
    |     |     debg currentUrl = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management?_g={}
    |     |     appUrl = https://
ee97a8912b5642c09104e63f7984a8a2.us-central1.gcp.foundit.no:9243/app/
kibana#/management
    |     debg TestSubjects.find(kibanaChrome)
    |     findByCssSelector [data-test-subj~="kibanaChrome"]
    |     * fail: "security app rbac "before all" hook"
    |         Error: Timeout of 180000ms exceeded. For async tests and
hooks, ensure "done()" is called; if returning a Promise, ensure it
resolves.
```

```
    |__> "after all" hook
    |   debg SecurityPage.logout
    |   debg TestSubjects.exists(skipWelcomeScreen)
    |   debg existsByDisplayedByCssSelector [data-test-
subj~="skipWelcomeScreen"]
    |   debg existsByLinkText Logout
    |   debg --- retry.try failed again with the same message...
    |   debg --- retry.try error: retry.try timeout: [POST http://
localhost:9515/session/a970e01cb96ea9c017d8008f2751980e/element /
{"using":"css selector","value":"[data-test-
subj~=\"roleFormSaveButton\"]"}] no such element: Unable to locate
element: {"method":"css selector","selector":"[data-test-
subj~="roleFormSaveButton"]"}
    |           (Session info: chrome=68.0.3440.106)
    |           (Driver info: chromedriver=2.41.578706
(5f725d1b4f0a4acbf5259df887244095596231db),platform=Mac OS X 10.13.4
x86_64)
    |           at Server._post (/Users/rashmikulkarni/
my_workspace/kibana/test/functional/services/remote/
verbose_remote_logging.js:34:21)
    |           at runRequest (/Users/rashmikulkarni/my_workspace/
kibana/node_modules/leadfoot/Session.js:92:40)
    |           at getFinalValue (/Users/rashmikulkarni/
my_workspace/kibana/node_modules/dojo/_debug/Promise.ts:462:22)
    |           at /Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:478:11
    |           at /Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:393:16
    |           at runCallbacks (/Users/rashmikulkarni/
my_workspace/kibana/node_modules/dojo/_debug/Promise.ts:11:12)
    |           at /Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:317:5
    |           at run (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:237:8)
    |           at /Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/nextTick.ts:44:4
    |           at _combinedTickCallback (internal/process/
next_tick.js:131:7)
    |           at process._tickCallback (internal/process/
next_tick.js:180:9)
    |           at Command.find (/Users/rashmikulkarni/
my_workspace/kibana/node_modules/leadfoot/Command.js:23:10)
    |           at Command.prototype.(anonymous function) [as
findByCssSelector] (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/leadfoot/lib/strategies.js:29:16)
    |           at _ensureElementWithTimeout (/Users/
rashmikulkarni/my_workspace/kibana/test/functional/services/find.js:
71:29)
    |           at retry.try (/Users/rashmikulkarni/my_workspace/
```

```
kibana/test/functional/services/find.js:51:33)
|           at runAttempt (/Users/rashmikulkarni/my_workspace/
kibana/test/common/services/retry/retry_for_success.js:39:21)
|           at retryForSuccess (/Users/rashmikulkarni/
my_workspace/kibana/test/common/services/retry/retry_for_success.js:67:37)
|           at <anonymous>
ERROR Error: retry.try timeout: Error: retry.try timeout: [POST
http://localhost:9515/session/a970e01cb96ea9c017d8008f2751980e/
element / {"using":"css selector","value":"[data-test-
subj~=\"roleFormSaveButton\"]"}] no such element: Unable to locate
element: {"method":"css selector","selector":"[data-test-
subj~=\"roleFormSaveButton\"]"}
(Session info: chrome=68.0.3440.106)
(Driver info: chromedriver=2.41.578706
(5f725d1b4f0a4acbf5259df887244095596231db),platform=Mac OS X 10.13.4
x86_64)
    at Server._post (/Users/rashmikulkarni/my_workspace/kibana/
test/functional/services/remote/verbose_remote_logging.js:34:21)
    at runRequest (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/leadfoot/Session.js:92:40)
    at getFinalValue (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:462:22)
    at /Users/rashmikulkarni/my_workspace/kibana/node_modules/
dojo/_debug/Promise.ts:478:11
    at /Users/rashmikulkarni/my_workspace/kibana/node_modules/
dojo/_debug/Promise.ts:393:16
    at runCallbacks (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:11:12)
    at /Users/rashmikulkarni/my_workspace/kibana/node_modules/
dojo/_debug/Promise.ts:317:5
    at run (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/dojo/_debug/Promise.ts:237:8)
    at /Users/rashmikulkarni/my_workspace/kibana/node_modules/
dojo/_debug/nextTick.ts:44:4
    at _combinedTickCallback (internal/process/next_tick.js:131:7)
    at process._tickCallback (internal/process/next_tick.js:180:9)
    at Command.find (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/leadfoot/Command.js:23:10)
    at Command.prototype.(anonymous function) [as
findByCssSelector] (/Users/rashmikulkarni/my_workspace/kibana/
node_modules/leadfoot/lib/strategies.js:29:16)
    at _ensureElementWithTimeout (/Users/rashmikulkarni/
my_workspace/kibana/test/functional/services/find.js:71:29)
    at retry.try (/Users/rashmikulkarni/my_workspace/kibana/
test/functional/services/find.js:51:33)
    at runAttempt (/Users/rashmikulkarni/my_workspace/kibana/
test/common/services/retry/retry_for_success.js:39:21)
```

```
      at retryForSuccess (/Users/rashmikulkarni/my_workspace/
kibana/test/common/services/retry/retry_for_success.js:67:37)
      at <anonymous>
      at lastError (/Users/rashmikulkarni/my_workspace/kibana/
test/common/services/retry/retry_for_success.js:29:9)
      at retryForSuccess (/Users/rashmikulkarni/my_workspace/
kibana/test/common/services/retry/retry_for_success.js:63:13)
      at <anonymous>
      at lastError (/Users/rashmikulkarni/my_workspace/kibana/
test/common/services/retry/retry_for_success.js:29:9)
      at retryForSuccess (/Users/rashmikulkarni/my_workspace/
kibana/test/common/services/retry/retry_for_success.js:63:13)
      at <anonymous>
  debg Logout not found
-> "after all" hook
  | debg --- retry.try error: [GET http://localhost:9515/session/
a970e01cb96ea9c017d8008f2751980e/url] no such session
  |   (Driver info: chromedriver=2.41.578706
(5f725d1b4f0a4acbf5259df887244095596231db),platform=Mac OS X 10.13.4
x86_64)
```