

Monitoring JavaMelody on _jenkins-0



Threads on jenkins-0@10.7.246.219: Number = 593, Maximum = 806, Total started = 38,535

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|---------------|---|---------------|----------------|
| ActiveDirectory.updateUserCache [#1] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 5 | 0 |
| ActiveDirectory.updateUserCache [#2] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 4 | 0 |
| ActiveDirectory.updateUserCache [#3] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 5 | 0 |
| ActiveDirectory.updateUserCache [#4] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 6 | 0 |
| class com.cloudbees.jenkins.plugins.bitbucket.hooks.NativeServerPushHookProcessor\$HeadEvent Mon Aug 29 16:34:39 CEST 2022 / SCMEvent [#1] | yes | 5 | RUNNABLE | java.base@11.0.16/java.net.SocketInputStream.socketRead0(Native Method) | 7,385 | 6,450 |
| Common-Cleaner | yes | 8 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 320 | 280 |
| Computer.threadPoolForRemoting [#308] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 166,958 | 86,330 |
| Computer.threadPoolForRemoting [#35] : IO ID=1627 : seq#=1626 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 227,266 | 132,060 |
| Computer.threadPoolForRemoting [#366] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 260,172 | 142,650 |
| Computer.threadPoolForRemoting [#381] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 315,781 | 188,020 |
| Computer.threadPoolForRemoting [#384] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 72,393 | 38,460 |
| Computer.threadPoolForRemoting [#391] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 305,158 | 180,260 |
| Computer.threadPoolForRemoting [#397] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 51,032 | 26,980 |
| Computer.threadPoolForRemoting [#413] : IO ID=1188 : seq#=1187 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 267,481 | 159,210 |
| Computer.threadPoolForRemoting [#442] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 274,084 | 162,610 |
| Computer.threadPoolForRemoting [#461] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 357,875 | 258,420 |
| Computer.threadPoolForRemoting [#465] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 255,686 | 154,470 |
| Computer.threadPoolForRemoting [#487] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 145,891 | 84,400 |
| Computer.threadPoolForRemoting [#518] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 94,324 | 55,150 |
| Computer.threadPoolForRemoting [#523] : IO ID=2639 : seq#=2638 | yes | 5 | BLOCKED | java.base@11.0.16/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:118) | 183,872 | 103,650 |
| Computer.threadPoolForRemoting [#525] : IO ID=808 : seq#=807 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 161,255 | 95,450 |
| Computer.threadPoolForRemoting [#529] : IO ID=2381 : seq#=2380 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 152,208 | 86,830 |
| Computer.threadPoolForRemoting [#533] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 56,279 | 33,200 |
| Computer.threadPoolForRemoting [#570] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 140,893 | 81,310 |
| Computer.threadPoolForRemoting [#574] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.unpark(Native Method) | 139,276 | 75,390 |
| Computer.threadPoolForRemoting [#576] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 172,253 | 94,250 |
| Computer.threadPoolForRemoting [#598] : IO ID=1387 : seq#=1386 | yes | 5 | RUNNABLE | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 138,494 | 82,820 |
| Computer.threadPoolForRemoting [#611] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 287,513 | 169,080 |
| Computer.threadPoolForRemoting [#619] : IO ID=1145 : seq#=1144 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 374,919 | 214,640 |
| Computer.threadPoolForRemoting [#628] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 89,532 | 52,690 |
| Computer.threadPoolForRemoting [#630] : IO ID=1722 : seq#=1721 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 93,409 | 55,450 |
| Computer.threadPoolForRemoting [#640] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 347,232 | 207,380 |
| Computer.threadPoolForRemoting [#642] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 323,257 | 189,700 |
| Computer.threadPoolForRemoting [#644] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 118,637 | 66,150 |
| Computer.threadPoolForRemoting [#645] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.unpark(Native Method) | 333,178 | 185,270 |
| Computer.threadPoolForRemoting [#656] | yes | 5 | TIMED_WAITING | hudson.remoting.SingleLaneExecutorService.isShutdown(SingleLaneExecutorService.java:93) | 362,074 | 204,430 |
| Computer.threadPoolForRemoting [#657] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 115,972 | 65,610 |
| Computer.threadPoolForRemoting [#671] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 88,780 | 49,270 |
| Computer.threadPoolForRemoting [#674] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 291,499 | 167,790 |
| Computer.threadPoolForRemoting [#677] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 84,568 | 46,350 |
| Computer.threadPoolForRemoting [#685] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 48,357 | 25,050 |
| Computer.threadPoolForRemoting [#687] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 332,212 | 213,220 |
| Computer.threadPoolForRemoting [#690] | yes | 5 | RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 261,277 | 150,720 |
| Computer.threadPoolForRemoting [#703] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 243,497 | 137,340 |
| Computer.threadPoolForRemoting [#707] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 303,855 | 175,250 |
| Computer.threadPoolForRemoting [#717] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 215,437 | 117,120 |
| Computer.threadPoolForRemoting [#719] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 14,797 | 7,760 |
| Computer.threadPoolForRemoting [#723] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 265,720 | 166,440 |
| Computer.threadPoolForRemoting [#729] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 41,272 | 23,540 |
| Computer.threadPoolForRemoting [#730] : IO ID=2728 : seq#=2727 | yes | 5 | BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 198,742 | 117,510 |
| Computer.threadPoolForRemoting [#731] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 203,998 | 117,530 |
| Computer.threadPoolForRemoting [#732] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 214,919 | 130,280 |
| Computer.threadPoolForRemoting [#733] | yes | 5 | RUNNABLE | org.jenkinsci.plugins.workflow.cps.CpsFlowExecution\$6.onSuccess(CpsFlowExecution.java:1023) | 192,436 | 115,110 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|-----------------|---|---------------|----------------|
| Computer.threadPoolForRemoting [#738] | yes | 5 | 🟡 TIMED_WAITING | udson.remoting.SingleLaneExecutorService.isShutdown(SingleLaneExecutorService.java:93) | 177,761 | 105,770 |
| Computer.threadPoolForRemoting [#740] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 176,738 | 92,970 |
| Computer.threadPoolForRemoting [#742] : IO ID=12558 : seq#=12557 | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.lang.Threadable.fillInStackTrace(Native Method) | 210,196 | 120,180 |
| Computer.threadPoolForRemoting [#746] : IO ID=889 : seq#=888 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 176,063 | 102,950 |
| Computer.threadPoolForRemoting [#747] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 78,493 | 46,850 |
| Computer.threadPoolForRemoting [#749] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 133,266 | 74,790 |
| Computer.threadPoolForRemoting [#751] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 95,365 | 62,190 |
| Computer.threadPoolForRemoting [#752] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 179,810 | 116,890 |
| Computer.threadPoolForRemoting [#754] : IO ID=2152 : seq#=2151 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 175,017 | 98,530 |
| Computer.threadPoolForRemoting [#755] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.unpark(Native Method) | 180,259 | 104,630 |
| Computer.threadPoolForRemoting [#768] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 184,022 | 112,060 |
| Computer.threadPoolForRemoting [#769] | yes | 5 | 🟡 TIMED_WAITING | jenkins.util.ContextResettingExecutorService\$1.run(ContextResettingExecutorService.java:28) | 149,338 | 85,330 |
| Computer.threadPoolForRemoting [#770] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 154,385 | 98,030 |
| Computer.threadPoolForRemoting [#772] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 131,292 | 80,520 |
| Computer.threadPoolForRemoting [#773] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 178,599 | 111,440 |
| Computer.threadPoolForRemoting [#774] | yes | 5 | 🟡 TIMED_WAITING | jenkins.util.ContextResettingExecutorService\$1.run(ContextResettingExecutorService.java:28) | 147,768 | 76,530 |
| Computer.threadPoolForRemoting [#775] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 189,491 | 113,920 |
| Computer.threadPoolForRemoting [#777] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.String.valueOf(String.java:2951) | 191,577 | 114,410 |
| Computer.threadPoolForRemoting [#782] : IO ID=906 : seq#=905 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 159,794 | 90,570 |
| Computer.threadPoolForRemoting [#783] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 170,565 | 97,610 |
| Computer.threadPoolForRemoting [#787] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 160,937 | 93,570 |
| Computer.threadPoolForRemoting [#791] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 63,748 | 37,610 |
| Computer.threadPoolForRemoting [#794] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 159,546 | 92,560 |
| Computer.threadPoolForRemoting [#798] : IO ID=2063 : seq#=2062 | yes | 5 | 🟢 RUNNABLE | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 156,416 | 87,960 |
| Computer.threadPoolForRemoting [#799] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 157,191 | 89,070 |
| Computer.threadPoolForRemoting [#800] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 51,280 | 28,000 |
| Computer.threadPoolForRemoting [#802] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 127,257 | 73,170 |
| Computer.threadPoolForRemoting [#803] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 140,400 | 83,970 |
| Computer.threadPoolForRemoting [#804] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 145,913 | 83,040 |
| Computer.threadPoolForRemoting [#807] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 63,435 | 32,280 |
| Computer.threadPoolForRemoting [#808] | yes | 5 | 🟡 TIMED_WAITING | jenkins.util.ContextResettingExecutorService\$1.run(ContextResettingExecutorService.java:28) | 146,788 | 80,340 |
| Computer.threadPoolForRemoting [#809] : IO ID=3177 : seq#=3176 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 156,828 | 92,560 |
| Computer.threadPoolForRemoting [#810] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 118,303 | 72,850 |
| Computer.threadPoolForRemoting [#811] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 140,114 | 86,770 |
| Computer.threadPoolForRemoting [#813] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 54,435 | 35,870 |
| Computer.threadPoolForRemoting [#814] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 149,863 | 91,170 |
| Computer.threadPoolForRemoting [#816] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 168,868 | 105,940 |
| Computer.threadPoolForRemoting [#817] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 142,008 | 83,200 |
| Computer.threadPoolForRemoting [#819] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 44,766 | 29,260 |
| Computer.threadPoolForRemoting [#822] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 146,950 | 86,770 |
| Computer.threadPoolForRemoting [#823] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 158,234 | 96,150 |
| Computer.threadPoolForRemoting [#827] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 146,747 | 92,830 |
| Computer.threadPoolForRemoting [#829] : IO ID=1350 : seq#=1349 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 165,421 | 100,770 |
| Computer.threadPoolForRemoting [#831] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 113,010 | 63,740 |
| Computer.threadPoolForRemoting [#832] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 129,546 | 73,440 |
| Computer.threadPoolForRemoting [#833] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 135,212 | 81,880 |
| Computer.threadPoolForRemoting [#834] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 100,761 | 56,260 |
| Computer.threadPoolForRemoting [#836] : IO ID=983 : seq#=982 | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:118) | 124,903 | 72,840 |
| Computer.threadPoolForRemoting [#837] | yes | 5 | 🟡 TIMED_WAITING | udson.remoting.SingleLaneExecutorService.isShutdown(SingleLaneExecutorService.java:93) | 91,025 | 45,060 |
| Computer.threadPoolForRemoting [#840] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 120,011 | 71,770 |
| Computer.threadPoolForRemoting [#842] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 110,413 | 70,130 |
| Computer.threadPoolForRemoting [#845] | yes | 5 | 🟡 TIMED_WAITING | udson.remoting.Channel\$1.handle(Channel.java:606) | 118,583 | 67,330 |
| Computer.threadPoolForRemoting [#846] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 110,399 | 66,530 |
| Computer.threadPoolForRemoting [#848] : IO ID=1311 : seq#=1310 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 113,518 | 71,240 |
| Computer.threadPoolForRemoting [#849] : IO ID=1938 : seq#=1937 | yes | 5 | 🔴 BLOCKED | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 115,129 | 59,690 |
| Computer.threadPoolForRemoting [#850] : IO ID=1623 : seq#=1622 | yes | 5 | 🟢 RUNNABLE | udson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 117,695 | 65,040 |
| Computer.threadPoolForRemoting [#852] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 7,381 | 3,770 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|-----------------|---|---------------|----------------|
| Computer.threadPoolForRemoting [#854] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 104,741 | 64,360 |
| Computer.threadPoolForRemoting [#856] : IO ID=2061 : seq#=2060 | yes | 5 | 🟢 RUNNABLE | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 99,744 | 60,040 |
| Computer.threadPoolForRemoting [#861] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 91,304 | 48,760 |
| Computer.threadPoolForRemoting [#862] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 93,586 | 55,750 |
| Computer.threadPoolForRemoting [#863] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 110,038 | 67,930 |
| Computer.threadPoolForRemoting [#864] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/sun.nio.ch.FileDispatcherImpl.write0(Native Method) | 104,194 | 64,900 |
| Computer.threadPoolForRemoting [#866] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 90,195 | 49,960 |
| Computer.threadPoolForRemoting [#867] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 84,931 | 46,990 |
| Computer.threadPoolForRemoting [#870] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.unpark(Native Method) | 115,311 | 69,500 |
| Computer.threadPoolForRemoting [#871] : IO ID=1405 : seq#=1404 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 103,728 | 60,580 |
| Computer.threadPoolForRemoting [#874] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 98,359 | 56,080 |
| Computer.threadPoolForRemoting [#875] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 95,088 | 52,960 |
| Computer.threadPoolForRemoting [#876] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 80,587 | 46,200 |
| Computer.threadPoolForRemoting [#877] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 77,082 | 44,720 |
| Computer.threadPoolForRemoting [#879] : IO ID=816 : seq#=815 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 71,211 | 42,850 |
| Computer.threadPoolForRemoting [#880] | yes | 5 | 🟡 TIMED_WAITING | jenkins.util.ContextResettingExecutorService\$1.run(ContextResettingExecutorService.java:28) | 106,912 | 72,310 |
| Computer.threadPoolForRemoting [#883] | yes | 5 | 🟡 TIMED_WAITING | org.jenkinsci.plugins.workflow.cps.CpsFlowExecution\$6.onSuccess(CpsFlowExecution.java:1023) | 66,366 | 35,220 |
| Computer.threadPoolForRemoting [#884] : IO ID=1260 : seq#=1259 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 75,585 | 49,470 |
| Computer.threadPoolForRemoting [#886] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 67,582 | 37,720 |
| Computer.threadPoolForRemoting [#888] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 67,756 | 36,940 |
| Computer.threadPoolForRemoting [#890] | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 63,031 | 34,630 |
| Computer.threadPoolForRemoting [#891] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 69,237 | 40,270 |
| Computer.threadPoolForRemoting [#892] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 35,605 | 17,800 |
| Computer.threadPoolForRemoting [#893] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 60,624 | 34,070 |
| Computer.threadPoolForRemoting [#894] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 58,633 | 36,030 |
| Computer.threadPoolForRemoting [#899] : IO ID=2428 : seq#=2427 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 47,938 | 27,710 |
| Computer.threadPoolForRemoting [#901] | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 58,132 | 32,430 |
| Computer.threadPoolForRemoting [#903] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 48,049 | 23,490 |
| Computer.threadPoolForRemoting [#905] : IO ID=1269 : seq#=1268 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 59,527 | 37,770 |
| Computer.threadPoolForRemoting [#906] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 63,926 | 38,710 |
| Computer.threadPoolForRemoting [#907] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 50,641 | 24,700 |
| Computer.threadPoolForRemoting [#908] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 52,140 | 27,850 |
| Computer.threadPoolForRemoting [#910] : IO ID=1634 : seq#=1633 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 64,588 | 41,150 |
| Computer.threadPoolForRemoting [#911] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 60,023 | 30,430 |
| Computer.threadPoolForRemoting [#913] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 59,557 | 37,860 |
| Computer.threadPoolForRemoting [#914] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 62,082 | 38,980 |
| Computer.threadPoolForRemoting [#918] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 58,770 | 32,820 |
| Computer.threadPoolForRemoting [#919] : IO ID=1148 : seq#=1147 | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:117) | 57,779 | 31,490 |
| Computer.threadPoolForRemoting [#921] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.unpark(Native Method) | 46,948 | 28,680 |
| Computer.threadPoolForRemoting [#922] | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 47,556 | 29,560 |
| Computer.threadPoolForRemoting [#923] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 45,412 | 25,660 |
| Computer.threadPoolForRemoting [#924] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 18,303 | 11,510 |
| Computer.threadPoolForRemoting [#925] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 16,395 | 7,960 |
| Computer.threadPoolForRemoting [#926] | yes | 5 | 🟡 TIMED_WAITING | hudson.remoting.SingleLaneExecutorService.isShutdown(SingleLaneExecutorService.java:93) | 35,541 | 24,150 |
| Computer.threadPoolForRemoting [#927] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 29,677 | 17,000 |
| Computer.threadPoolForRemoting [#928] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 27,409 | 16,500 |
| Computer.threadPoolForRemoting [#930] : IO ID=1460 : seq#=1459 | yes | 5 | 🟢 RUNNABLE | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 35,259 | 22,840 |
| Computer.threadPoolForRemoting [#931] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 34,327 | 19,360 |
| Computer.threadPoolForRemoting [#932] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 25,049 | 12,150 |
| Computer.threadPoolForRemoting [#933] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 22,668 | 11,090 |
| Computer.threadPoolForRemoting [#934] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 30,415 | 19,310 |
| Computer.threadPoolForRemoting [#935] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,188 | 560 |
| Computer.threadPoolForRemoting [#936] : IO ID=2922 : seq#=2921 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 29,440 | 14,140 |
| Computer.threadPoolForRemoting [#937] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 26,831 | 13,050 |
| Computer.threadPoolForRemoting [#938] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 29,024 | 17,590 |
| Computer.threadPoolForRemoting [#939] : IO ID=1645 : seq#=1644 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 27,958 | 19,350 |
| Computer.threadPoolForRemoting [#940] : IO ID=1632 : seq#=1631 | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:118) | 28,449 | 20,210 |
| Computer.threadPoolForRemoting [#941] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 23,228 | 11,480 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|-----------------|--|---------------|----------------|
| Computer.threadPoolForRemoting [#942] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 23,740 | 11,520 |
| Computer.threadPoolForRemoting [#943] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 24,339 | 11,890 |
| Computer.threadPoolForRemoting [#944] : IO ID=1203 : seq#=1202 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 24,646 | 12,820 |
| Computer.threadPoolForRemoting [#945] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 26,718 | 13,280 |
| Computer.threadPoolForRemoting [#946] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/sun.nio.ch.FileDispatcherImpl.write0(Native Method) | 21,989 | 10,800 |
| Computer.threadPoolForRemoting [#947] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 20,485 | 10,120 |
| Computer.threadPoolForRemoting [#948] : IO ID=2917 : seq#=2916 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 19,760 | 11,020 |
| Computer.threadPoolForRemoting [#949] | yes | 5 | 🟡 TIMED_WAITING | jenkins.util.ContextResettingExecutorService\$1.run(ContextResettingExecutorService.java:28) | 22,342 | 14,150 |
| Computer.threadPoolForRemoting [#950] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 16,374 | 8,300 |
| Computer.threadPoolForRemoting [#951] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 22,159 | 14,020 |
| Computer.threadPoolForRemoting [#952] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 14,635 | 7,160 |
| Computer.threadPoolForRemoting [#953] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 22,186 | 13,320 |
| Computer.threadPoolForRemoting [#954] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 17,466 | 8,920 |
| Computer.threadPoolForRemoting [#955] : IO ID=1349 : seq#=1348 | yes | 5 | 🟢 RUNNABLE | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 20,208 | 13,810 |
| Computer.threadPoolForRemoting [#956] : IO ID=1616 : seq#=1615 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 21,237 | 13,090 |
| Computer.threadPoolForRemoting [#957] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 22,652 | 14,180 |
| Computer.threadPoolForRemoting [#959] | yes | 5 | 🟢 RUNNABLE | jenkins.util.ContextResettingExecutorService\$1.run(ContextResettingExecutorService.java:28) | 16,858 | 11,610 |
| Computer.threadPoolForRemoting [#960] | yes | 5 | 🟡 TIMED_WAITING | org.jenkinsci.plugins.workflow.cps.CpsVmExecutorService.setUp(CpsVmExecutorService.java:104) | 21,315 | 10,570 |
| Computer.threadPoolForRemoting [#961] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 21,423 | 10,370 |
| Computer.threadPoolForRemoting [#962] | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 21,561 | 10,330 |
| Computer.threadPoolForRemoting [#963] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 20,466 | 13,560 |
| Computer.threadPoolForRemoting [#964] : IO ID=1444 : seq#=1443 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 22,638 | 13,460 |
| Computer.threadPoolForRemoting [#966] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 18,791 | 9,180 |
| Computer.threadPoolForRemoting [#967] : IO ID=189 : seq#=188 | yes | 5 | 🟢 RUNNABLE | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 19,066 | 14,620 |
| Computer.threadPoolForRemoting [#968] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.StringBuilder.append(StringBuilder.java:252) | 16,649 | 8,320 |
| Computer.threadPoolForRemoting [#969] : IO ID=3331 : seq#=3330 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 18,186 | 9,490 |
| Computer.threadPoolForRemoting [#971] : IO ID=2358 : seq#=2357 | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.lang.Throwable.fillInStackTrace(Native Method) | 17,211 | 8,780 |
| Computer.threadPoolForRemoting [#973] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 17,635 | 8,680 |
| Computer.threadPoolForRemoting [#974] : IO ID=956 : seq#=955 | yes | 5 | 🔴 BLOCKED | hudson.remoting.SingleLaneExecutorService.execute(SingleLaneExecutorService.java:115) | 18,328 | 10,540 |
| Computer.threadPoolForRemoting [#975] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 207 | 70 |
| Computer.threadPoolForRemoting [#976] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 397 | 160 |
| Connector-Scheduler-327514f-1 | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 3,533 | 1,600 |
| DestroyJavaVM | no | 5 | 🟢 RUNNABLE | | 2,183 | 1,930 |
| EventDispatcher.retryProcessor | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 639 | 300 |
| EventDispatcher.retryProcessor | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 652 | 350 |
| EventDispatcher.retryProcessor | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 620 | 310 |
| EventDispatcher.retryProcessor | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 637 | 320 |
| EventHistoryStore.autoExpireTimer | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 1,826 | 430 |
| Executor #-1 for Built-In Node : executing Core Integration Postgres/PR-16119 #24 | yes | 5 | 🟡 WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 154 | 120 |
| Executor #-1 for Built-In Node : executing Core Integration SQLServer/PR-16119 #24 | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.net.SocketInputStream.socketRead0(Native Method) | 100 | 100 |
| Executor #-1 for Built-In Node : executing Core Integration/PR-16119 #25 | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.net.SocketInputStream.socketRead0(Native Method) | 60 | 50 |
| FilePath.localPool [#18] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 111 | 40 |
| Finalizer | yes | 8 | 🟡 WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 827 | 640 |
| ForkJoinPool.commonPool-worker-11 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-13 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 393 | 290 |
| ForkJoinPool.commonPool-worker-17 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,082 | 620 |
| ForkJoinPool.commonPool-worker-19 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-23 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-25 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-27 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-3 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-31 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-33 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-37 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| ForkJoinPool.commonPool-worker-39 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-41 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 771 | 460 |
| ForkJoinPool.commonPool-worker-45 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-47 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|---------------|--|---------------|----------------|
| ForkJoinPool.commonPool-worker-5 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| ForkJoinPool.commonPool-worker-51 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 17 | 0 |
| ForkJoinPool.commonPool-worker-53 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-55 | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 656 | 360 |
| ForkJoinPool.commonPool-worker-59 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-61 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-63 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| ForkJoinPool.commonPool-worker-9 | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 955 | 520 |
| git fetch --no-tags --force --progress --https://bitbucket.fis.dev/scm/apexcoll/jenkins-pipeline.git +refs/heads/*:refs/remotes/origin/*: stderr copier | yes | 5 | RUNNABLE | java.base@11.0.16/java.io.InputStream.readBytes(Native Method) | 3 | 0 |
| git fetch --no-tags --force --progress --https://bitbucket.fis.dev/scm/apexcoll/jenkins-pipeline.git +refs/heads/*:refs/remotes/origin/*: stdout copier | yes | 5 | RUNNABLE | java.base@11.0.16/java.io.InputStream.readBytes(Native Method) | 0 | 0 |
| GuavaPubsubBus.ThreadPoolExecutor | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 200 | 100 |
| Handling GET /monitoring from 10.7.175.132 : Jetty (winstone)-19181 | no | 5 | RUNNABLE | java.base@11.0.16/java.lang.Thread.dumpThreads(Native Method) | 18,829 | 17,440 |
| Handling POST /\$stapler/bound/ee17f860-d3c2-4cf2-9bae-884c3a17c534/fetchJobViews from 10.7.171.24 : Jetty (winstone)-33333 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 1,351 | 1,200 |
| HikariPool-1 housekeeper | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 42 | 30 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 310 | 140 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 323 | 150 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 334 | 100 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 306 | 70 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 327 | 220 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 334 | 150 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 316 | 130 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 332 | 200 |
| httpClient-io:thread-1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 318 | 200 |
| I/O dispatcher 1 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 309 | 140 |
| I/O dispatcher 10 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 306 | 100 |
| I/O dispatcher 11 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 310 | 70 |
| I/O dispatcher 12 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 310 | 80 |
| I/O dispatcher 13 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 320 | 140 |
| I/O dispatcher 14 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 322 | 210 |
| I/O dispatcher 15 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 301 | 100 |
| I/O dispatcher 16 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 311 | 160 |
| I/O dispatcher 17 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 331 | 170 |
| I/O dispatcher 18 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 313 | 170 |
| I/O dispatcher 2 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 316 | 160 |
| I/O dispatcher 3 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 339 | 120 |
| I/O dispatcher 4 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 308 | 140 |
| I/O dispatcher 5 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 310 | 70 |
| I/O dispatcher 6 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 301 | 140 |
| I/O dispatcher 7 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 315 | 110 |
| I/O dispatcher 8 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 309 | 120 |
| I/O dispatcher 9 | yes | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 312 | 130 |
| IOHub#1: Selector[keys:87, gen:38138777] / Computer.threadPoolForRemoting [#16] | yes | 5 | RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.unpark(Native Method) | 3,322,074 | 925,960 |
| IOHub#1: Worker[channel:java.nio.channels.SocketChannel[connected local=/10.7.246.219:50000 remote=/10.7.246.53/10.7.246.53:58412]] / Computer.threadPoolForRemoting [#678] | yes | 5 | WAITING | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 79,744 | 49,380 |
| IOHub#1: Worker[channel:java.nio.channels.SocketChannel[connected local=/10.7.246.219:50000 remote=/10.7.247.18/10.7.247.18:43164]] / Computer.threadPoolForRemoting [#683] | yes | 5 | RUNNABLE | java.base@11.0.16/java.lang.Thread.setNativeName(Native Method) | 289,704 | 164,530 |
| IOHub#1: Worker[channel:java.nio.channels.SocketChannel[connected local=/10.7.246.219:50000 remote=/10.7.247.238/10.7.247.238:51454]] / Computer.threadPoolForRemoting [#776] | yes | 5 | RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 152,747 | 90,950 |
| Java2D Disposer | yes | 10 | WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 9 | 0 |
| javamelody | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 27,102 | 22,820 |
| Jenkins cron thread | no | 5 | WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 0 | 0 |
| jenkins.util.Timer [#10] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 11,232 | 9,480 |
| jenkins.util.Timer [#1] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 12,000 | 10,350 |
| jenkins.util.Timer [#2] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 10,574 | 9,320 |
| jenkins.util.Timer [#3] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 9,963 | 8,660 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|---------------|---|---------------|----------------|
| jenkins.util.Timer [#4] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 12,588 | 11,160 |
| jenkins.util.Timer [#5] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 12,172 | 10,710 |
| jenkins.util.Timer [#6] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 25,433 | 22,590 |
| jenkins.util.Timer [#7] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 10,699 | 9,500 |
| jenkins.util.Timer [#8] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 11,823 | 10,450 |
| jenkins.util.Timer [#9] | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 13,810 | 12,410 |
| Jetty (winstone)-103 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 20,127 | 18,110 |
| Jetty (winstone)-1413 | no | 5 | TIMED_WAITING | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 15,433 | 14,280 |
| Jetty (winstone)-1421 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 13,492 | 12,390 |
| Jetty (winstone)-1439 | no | 5 | RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 17,152 | 15,650 |
| Jetty (winstone)-1443 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 8,379 | 7,580 |
| Jetty (winstone)-1459 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 11,938 | 10,920 |
| Jetty (winstone)-1467 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 18,443 | 16,980 |
| Jetty (winstone)-17649 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 19,208 | 17,870 |
| Jetty (winstone)-19179 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 14,589 | 13,360 |
| Jetty (winstone)-19180 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 16,583 | 15,340 |
| Jetty (winstone)-2206 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 17,234 | 15,940 |
| Jetty (winstone)-22946 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 12,085 | 11,240 |
| Jetty (winstone)-23347 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 11,282 | 10,260 |
| Jetty (winstone)-23352 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 8,347 | 7,530 |
| Jetty (winstone)-24 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 20,816 | 19,170 |
| Jetty (winstone)-33332 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 3,406 | 3,180 |
| Jetty (winstone)-33334 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 3,586 | 3,360 |
| Jetty (winstone)-33335 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 3,019 | 2,770 |
| Jetty (winstone)-33338 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 1,464 | 1,360 |
| Jetty (winstone)-33339 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,433 | 1,360 |
| Jetty (winstone)-33342 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 9,207 | 7,350 |
| Jetty (winstone)-33343 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 3,965 | 3,720 |
| Jetty (winstone)-33617 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 2,700 | 2,490 |
| Jetty (winstone)-33618 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 4,375 | 4,130 |
| Jetty (winstone)-33619 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 4,406 | 4,160 |
| Jetty (winstone)-33622 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,088 | 1,010 |
| Jetty (winstone)-33623 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 3,574 | 3,280 |
| Jetty (winstone)-33624 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 8,151 | 6,620 |
| Jetty (winstone)-33625 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 4,223 | 3,870 |
| Jetty (winstone)-33626 | no | 5 | RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 4,588 | 4,310 |
| Jetty (winstone)-33636 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 38 | 20 |
| Jetty (winstone)-36949 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 152 | 140 |
| Jetty (winstone)-37-acceptor-0@302dd3c0-ServerConnector@327514f(HTTP/1.1,(http/1.1))(0.0.0.0:8080) | no | 3 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,244 | 480 |
| Jetty (winstone)-38-acceptor-1@68c26310-ServerConnector@327514f(HTTP/1.1,(http/1.1))(0.0.0.0:8080) | no | 3 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,241 | 470 |
| Jetty (winstone)-38267 | no | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 7 | 0 |
| Jetty (winstone)-39-acceptor-2@4aa08bb0-ServerConnector@327514f(HTTP/1.1,(http/1.1))(0.0.0.0:8080) | no | 3 | RUNNABLE | java.base@11.0.16/sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method) | 1,248 | 440 |
| Jetty (winstone)-97 | no | 5 | RUNNABLE | java.base@11.0.16/java.lang.ThreadLocal.setInitialValue(ThreadLocal.java:195) | 15,085 | 13,830 |
| JGit-WorkQueue | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 2 | 0 |
| jira-plugin-http-request-0-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 107 | 80 |
| jira-plugin-http-request-1-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 61 | 40 |
| jira-plugin-http-request-2-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 57 | 30 |
| jira-plugin-http-request-3-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 55 | 40 |
| jira-plugin-http-request-4-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 55 | 50 |
| jira-plugin-http-request-5-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 53 | 40 |
| jira-plugin-http-request-6-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 53 | 30 |
| jira-plugin-http-request-7-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 61 | 50 |
| jira-plugin-http-request-8-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 56 | 40 |
| jira-plugin-http-request-9-thread | yes | 5 | WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 72 | 50 |
| LauncherControlThread[ControlPort=-1] | no | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 166 | 90 |
| mysql-cj-abandoned-connection-cleanup | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 229 | 150 |
| OkHttp ConnectionPool | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 0 | 0 |
| OkHttp ConnectionPool | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 0 | 0 |
| OkHttp ConnectionPool | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 2 | 0 |
| OkHttp ConnectionPool | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 0 | 0 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|-----------------|---|---------------|----------------|
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 10 | 10 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 5 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 10 | 10 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 12 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 10 | 10 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 6 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 5 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 11 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 11 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 6 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 10 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 12 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 21 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 9 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1 | 0 |
| OkHttp WebSocket https://kubernetes.default/... | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 5 | 0 |
| Okio Watchdog | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 1 | 0 |
| Okio Watchdog | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 1,382 | 530 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#23]: checking e:\workspace\masterb0ccef93\parent on vmzapex059 / waiting for JNLP4-connect connection from 10.7.247.244/10.7.247.244:50504 id=926858 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,132 | 15,640 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#25]: checking e:\workspace\masterb0ccef93\parent on vmzapex046 / waiting for JNLP4-connect connection from 10.7.247.243/10.7.247.243:56190 id=926873 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 22,334 | 16,310 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#27]: checking e:\workspace\masterb0ccef93\parent on vmzapex057 / waiting for JNLP4-connect connection from 10.7.247.231/10.7.247.231:61696 id=926844 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,894 | 16,050 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#28]: checking e:\workspace\masterb0ccef93\parent on vmzapex050 / waiting for JNLP4-connect connection from 10.7.247.230/10.7.247.230:54794 id=926864 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,525 | 15,970 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#29]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-bwdmz | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 20,656 | 15,370 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#30]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-nzjqg | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 23,305 | 17,020 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#31]: checking /home/jenkins/agent/workspace/Core_PR-16458\parent on k8s-apexcollateral-unit-rf2ts / waiting for JNLP4-connect connection from 10.7.246.226/10.7.246.226:34192 id=926777 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 21,353 | 15,740 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#32]: checking /home/jenkins/agent/workspace/re_Web_Acceptance_Cluster_master/web-test on k8s-apexcollateral-integration-rbf3d / waiting for JNLP4-connect connection from 10.7.246.163/10.7.246.163:36952 id=926737 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 20,521 | 15,380 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|-----------------|---|---------------|----------------|
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#33]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-zhwh8 / waiting for JNLP4-connect connection from 10.7.247.55/10.7.247.55:43224 id=926740 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,184 | 15,520 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#34]: checking /home/jenkins/agent/workspace/re_Web_Acceptance_Cluster_master/web-test on k8s-apexcollateral-integration-msjh1 / waiting for JNLP4-connect connection from 10.7.246.165/10.7.246.165:49070 id=926722 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 19,594 | 14,900 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#36]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-3s9pw | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 21,218 | 15,830 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#39]: checking e:\workspace\masterb0cef93\parent on vwmazapex037 / waiting for JNLP4-connect connection from 10.7.247.220/10.7.247.220:57276 id=926818 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,398 | 16,100 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#40]: checking /home/jenkins/agent/workspace/re_Web_Acceptance_Cluster_master/web-test on k8s-apexcollateral-integration-8sgls | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 20,891 | 15,500 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#41]: checking /home/jenkins/agent/workspace/re_Web_Acceptance_Cluster_master/web-test on k8s-apexcollateral-integration-54rs4 | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 20,275 | 14,920 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#42]: checking e:\workspace\masterb0cef93\parent on vwmazapex052 | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 20,735 | 15,210 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#44]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-cqprl | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 21,144 | 15,660 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#45]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-165l8 / waiting for JNLP4-connect connection from 10.7.247.84/10.7.247.84:40176 id=926780 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,714 | 15,840 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#46]: checking e:\workspace\masterb0cef93\parent on vwmazapex047 / waiting for JNLP4-connect connection from 10.7.247.221/10.7.247.221:54589 id=926824 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,809 | 16,100 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#47]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-hnxs9 / waiting for JNLP4-connect connection from 10.7.246.110/10.7.246.110:41454 id=926830 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,775 | 16,200 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#48]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-w6d44 / waiting for JNLP4-connect connection from 10.7.247.101/10.7.247.101:60492 id=926734 | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 20,268 | 15,250 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#49]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-8cv6r | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 21,709 | 16,380 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#50]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-mmgb / waiting for JNLP4-connect connection from 10.7.247.56/10.7.247.56:39366 id=926890 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 20,084 | 15,010 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#51]: checking e:\workspace\masterb0cef93\parent on vwmazapex041 / waiting for JNLP4-connect connection from 10.7.247.232/10.7.247.232:58942 id=926886 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 21,005 | 15,480 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#6]: checking e:\workspace\masterb0cef93\parent on vwmazapex035 | yes | 5 | 🔴 BLOCKED | java.base@11.0.16/java.io.PrintStream.flush(PrintStream.java:414) | 21,208 | 15,810 |
| org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#8]: checking /home/jenkins/agent/workspace/_Web_Acceptance_SQLServer_master/web-test on k8s-apexcollateral-integration-p2s5j / waiting for JNLP4-connect connection from 10.7.246.14/10.7.246.14:51022 id=926746 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 22,874 | 17,130 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#105] / waiting for JNLP4-connect connection from 10.7.247.238/10.7.247.238:51454 id=884992 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 29,795 | 21,850 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#109] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 3,616 | 3,060 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#127] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 174 | 140 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|-----------------|--|---------------|----------------|
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#131] / waiting for JNLP4-connect connection from 10.7.246.202/10.7.246.202:56756 id=916921 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 33,490 | 21,850 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#132] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 148 | 110 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#133] / waiting for JNLP4-connect connection from 10.7.246.53/10.7.246.53:58412 id=924489 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 44 | 40 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#135] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 2,350 | 2,040 |
| org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#136] / waiting for JNLP4-connect connection from 10.7.247.18/10.7.247.18:43164 id=926723 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 42 | 30 |
| Ping thread for channel hudson.remoting.Channel@105e82f8:JNLP4-connect connection from 10.7.247.227/10.7.247.227:55983 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@105f5edd:JNLP4-connect connection from 10.7.246.45/10.7.246.45:53304 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@11e351c6:JNLP4-connect connection from 10.7.246.187/10.7.246.187:39522 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@135bb8aa:JNLP4-connect connection from 10.7.247.244/10.7.247.244:50504 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@146ee3a7:JNLP4-connect connection from 10.7.247.239/10.7.247.239:49378 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@16aed6ef:JNLP4-connect connection from 10.7.246.49/10.7.246.49:44892 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 10 | 0 |
| Ping thread for channel hudson.remoting.Channel@1703b:JNLP4-connect connection from 10.7.246.83/10.7.246.83:36616 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@1750273a:JNLP4-connect connection from 10.7.247.145/10.7.247.145:59808 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@18c93438:JNLP4-connect connection from 10.7.247.235/10.7.247.235:63283 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@1a643d19:JNLP4-connect connection from 10.7.247.55/10.7.247.55:43224 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 3 | 0 |
| Ping thread for channel hudson.remoting.Channel@1b47525a:JNLP4-connect connection from 10.7.247.240/10.7.247.240:61459 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@1d3733db:JNLP4-connect connection from 10.7.246.143/10.7.246.143:50746 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@1dd18622:JNLP4-connect connection from 10.7.247.241/10.7.247.241:65004 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@1e8203e:JNLP4-connect connection from 10.7.246.14/10.7.246.14:51022 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 3 | 0 |
| Ping thread for channel hudson.remoting.Channel@1fcfa751:JNLP4-connect connection from 10.7.246.146/10.7.246.146:56348 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@1fd2bcef:JNLP4-connect connection from 10.7.247.217/10.7.247.217:57940 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@202061db:JNLP4-connect connection from 10.7.247.213/10.7.247.213:35036 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 2 | 0 |
| Ping thread for channel hudson.remoting.Channel@25b76cc5:JNLP4-connect connection from 10.7.247.39/10.7.247.39:60732 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 11 | 0 |
| Ping thread for channel hudson.remoting.Channel@26fab21a:JNLP4-connect connection from 10.7.247.164/10.7.247.164:59888 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@2769a50:JNLP4-connect connection from 10.7.246.163/10.7.246.163:36952 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@2a032119:JNLP4-connect connection from 10.7.246.44/10.7.246.44:34164 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@2aeaac1f:JNLP4-connect connection from 10.7.247.243/10.7.247.243:56190 | yes | 5 | 🟢 TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|---------------|---|---------------|----------------|
| Ping thread for channel hudson.remoting.Channel@2c874a1d:JNLP4-connect connection from 10.7.247.106/10.7.247.106:33762 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@2f08cb37:JNLP4-connect connection from 10.7.247.168/10.7.247.168:39048 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 1 | 0 |
| Ping thread for channel hudson.remoting.Channel@2f167f8d:JNLP4-connect connection from 10.7.247.84/10.7.247.84:40176 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@2fb7e630:JNLP4-connect connection from 10.7.247.223/10.7.247.223:62580 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@332540ef:JNLP4-connect connection from 10.7.246.86/10.7.246.86:60364 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@34d2445c:JNLP4-connect connection from 10.7.246.171/10.7.246.171:36070 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@35383171:JNLP4-connect connection from 10.7.247.151/10.7.247.151:56680 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@37096fa9:JNLP4-connect connection from 10.7.170.202/10.7.170.202:60385 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@37a7e0b0:JNLP4-connect connection from 10.7.246.253/10.7.246.253:49306 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@3bc4ba2e:JNLP4-connect connection from 10.7.247.28/10.7.247.28:33390 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@3e2df57e:JNLP4-connect connection from 10.7.246.110/10.7.246.110:41454 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 3 | 0 |
| Ping thread for channel hudson.remoting.Channel@3f95357:JNLP4-connect connection from 10.7.247.48/10.7.247.48:52416 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@3fb03e03:JNLP4-connect connection from 10.7.247.226/10.7.247.226:58567 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@406a99e1:JNLP4-connect connection from 10.7.247.238/10.7.247.238:51454 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@40d40d48:JNLP4-connect connection from 10.7.246.12/10.7.246.12:37766 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@40eccffd:JNLP4-connect connection from 10.7.247.2/10.7.247.2:45652 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@420a0ba9:JNLP4-connect connection from 10.7.246.226/10.7.246.226:34192 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@422a2ca3:JNLP4-connect connection from 10.7.247.56/10.7.247.56:39366 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@445efba:JNLP4-connect connection from 10.7.247.72/10.7.247.72:60176 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 3 | 0 |
| Ping thread for channel hudson.remoting.Channel@4499e5a:JNLP4-connect connection from 10.7.247.224/10.7.247.224:59142 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@4633b590:JNLP4-connect connection from 10.7.246.202/10.7.246.202:56756 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@4705fb46:JNLP4-connect connection from 10.7.247.222/10.7.247.222:52137 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 10 | 0 |
| Ping thread for channel hudson.remoting.Channel@48f5a6d7:JNLP4-connect connection from 10.7.247.230/10.7.247.230:54794 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@497af0fc:JNLP4-connect connection from 10.7.247.118/10.7.247.118:46556 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@4a5a37c6:JNLP4-connect connection from 10.7.247.234/10.7.247.234:59175 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@4ad786ea:JNLP4-connect connection from 10.7.246.115/10.7.246.115:55234 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|---------------|---|---------------|----------------|
| Ping thread for channel hudson.remoting.Channel@4ba2e27a:JNLP4-connect connection from 10.7.246.215/10.7.246.215:39994 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 1 | 0 |
| Ping thread for channel hudson.remoting.Channel@4fd0960d:JNLP4-connect connection from 10.7.247.218/10.7.247.218:49597 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@4fe144bf:JNLP4-connect connection from 10.7.247.242/10.7.247.242:61606 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@545ccbab:JNLP4-connect connection from 10.7.247.221/10.7.247.221:54589 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@55517b00:JNLP4-connect connection from 10.7.247.220/10.7.247.220:57276 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@55f53679:JNLP4-connect connection from 10.7.246.120/10.7.246.120:49246 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@56ae37e7:JNLP4-connect connection from 10.7.247.219/10.7.247.219:63136 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@584fe894:JNLP4-connect connection from 10.7.247.7/10.7.247.7:37070 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 2 | 0 |
| Ping thread for channel hudson.remoting.Channel@58c6f4ff:JNLP4-connect connection from 10.7.247.216/10.7.247.216:59159 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@58e8b008:JNLP4-connect connection from 10.7.247.228/10.7.247.228:61383 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@5a6a64dd:JNLP4-connect connection from 10.7.247.82/10.7.247.82:40676 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@5af41965:JNLP4-connect connection from 10.7.247.115/10.7.247.115:47650 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@5bff7d34:JNLP4-connect connection from 10.7.247.76/10.7.247.76:42418 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@5d6931ed:JNLP4-connect connection from 10.7.247.193/10.7.247.193:43830 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@5e6c7cf9:JNLP4-connect connection from 10.7.246.32/10.7.246.32:59604 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@601f9526:JNLP4-connect connection from 10.7.246.231/10.7.246.231:34168 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@612c7a9b:JNLP4-connect connection from 10.7.246.153/10.7.246.153:36234 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@628707fe:JNLP4-connect connection from 10.7.246.124/10.7.246.124:57082 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 3 | 0 |
| Ping thread for channel hudson.remoting.Channel@63b14cae:JNLP4-connect connection from 10.7.247.139/10.7.247.139:38370 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 1 | 0 |
| Ping thread for channel hudson.remoting.Channel@640f97d8:JNLP4-connect connection from 10.7.247.165/10.7.247.165:57612 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@64ed85aa:JNLP4-connect connection from 10.7.247.199/10.7.247.199:58516 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@668aaefe:JNLP4-connect connection from 10.7.247.237/10.7.247.237:50464 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 9 | 0 |
| Ping thread for channel hudson.remoting.Channel@67a2a12d:JNLP4-connect connection from 10.7.247.211/10.7.247.211:47076 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@697fbee0:JNLP4-connect connection from 10.7.247.225/10.7.247.225:64379 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@69e68749:JNLP4-connect connection from 10.7.246.232/10.7.246.232:37802 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@6b316d3e:JNLP4-connect connection from 10.7.247.18/10.7.247.18:43164 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|--|----------|----------|---------------|--|---------------|----------------|
| Ping thread for channel hudson.remoting.Channel@6e625154:JNLP4-connect connection from 10.7.247.229/10.7.247.229:60014 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@710c3742:JNLP4-connect connection from 10.7.247.236/10.7.247.236:53521 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@71ad0845:JNLP4-connect connection from 10.7.247.101/10.7.247.101:60492 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 2 | 0 |
| Ping thread for channel hudson.remoting.Channel@73162b11:JNLP4-connect connection from 10.7.246.82/10.7.246.82:53624 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@73e514c5:JNLP4-connect connection from 10.7.246.53/10.7.246.53:58412 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@73e65fc:JNLP4-connect connection from 10.7.246.235/10.7.246.235:37382 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 4 | 0 |
| Ping thread for channel hudson.remoting.Channel@74c57b97:JNLP4-connect connection from 10.7.246.95/10.7.246.95:58346 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 6 | 0 |
| Ping thread for channel hudson.remoting.Channel@74cfcf5:JNLP4-connect connection from 10.7.247.232/10.7.247.232:58942 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@762ede80:JNLP4-connect connection from 10.7.247.231/10.7.247.231:61696 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 7 | 0 |
| Ping thread for channel hudson.remoting.Channel@7c004244:JNLP4-connect connection from 10.7.247.233/10.7.247.233:49567 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 8 | 0 |
| Ping thread for channel hudson.remoting.Channel@7d112331:JNLP4-connect connection from 10.7.246.165/10.7.246.165:49070 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Ping thread for channel hudson.remoting.Channel@7dc9fe7f:JNLP4-connect connection from 10.7.246.27/10.7.246.27:48228 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 3 | 0 |
| Ping thread for channel hudson.remoting.Channel@a01542d:JNLP4-connect connection from 10.7.247.138/10.7.247.138:46920 | yes | 5 | TIMED_WAITING | java.base@11.0.16/java.lang.Thread.sleep(Native Method) | 5 | 0 |
| Proc.executor [#190] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 7 | 0 |
| Proc.executor [#191] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 4 | 0 |
| Proc.executor [#194] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 4 | 0 |
| Proc.executor [#195] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 4 | 0 |
| Proc.executor [#196] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 2 | 0 |
| Proc.executor [#197] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| Proc.executor [#198] | yes | 5 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| process reaper | yes | 10 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 213 | 0 |
| process reaper | yes | 10 | RUNNABLE | java.base@11.0.16/java.lang.ProcessHandleImpl.waitForProcessExit0(Native Method) | 21 | 0 |
| process reaper | yes | 10 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 146 | 0 |
| process reaper | yes | 10 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 12 | 0 |
| process reaper | yes | 10 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 107 | 0 |
| process reaper | yes | 10 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 150 | 0 |
| process reaper | yes | 10 | TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 83 | 0 |
| Reference Handler | yes | 10 | RUNNABLE | java.base@11.0.16/java.lang.ref.Reference.waitForReferencePendingList(Native Method) | 319 | 190 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|-----------------|--|---------------|----------------|
| RemotelyInputStream greedy pump thread: hudson.remoting.RemoteInputStream\$Greed y at hudson.remoting.RemoteInputStream.<init>(RemoteInputStream.java:108) at hudson.remoting.RemoteInputStream.<init>(RemoteInputStream.java:91) at hudson.FilePath.untar(FilePath.java:623) at org.jenkinsci.plugins.workflow.flow.StashMan ager.unstash(StashManager.java:162) at org.jenkinsci.plugins.workflow.support.steps. stash.UnstashStep\$Execution.run(UnstashSt ep.java:78) at org.jenkinsci.plugins.workflow.support.steps. stash.UnstashStep\$Execution.run(UnstashSt ep.java:65) at org.jenkinsci.plugins.workflow.steps.Synchro nousNonBlockingStepExecution.lambda\$star t\$0(SynchronousNonBlockingStepExecution. java:47) at java.base/java.util.concurrent.Executors\$Run nableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run (FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolEx ecutor.runWorker(ThreadPoolExecutor.java: 1128) at java.base/java.util.concurrent.ThreadPoolEx ecutor\$Worker.run(ThreadPoolExecutor.java :628) at java.base/java.lang.Thread.run(Thread.java: 829) | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/com.sun.crypto.provider.CipherCore.updateAAD(CipherCore.java:1224) | 1,693 | 1,290 |
| RemotelyInputStream greedy pump thread: hudson.remoting.RemoteInputStream\$Greed y at hudson.remoting.RemoteInputStream.<init>(RemoteInputStream.java:108) at hudson.remoting.RemoteInputStream.<init>(RemoteInputStream.java:91) at hudson.FilePath.untar(FilePath.java:623) at org.jenkinsci.plugins.workflow.flow.StashMan ager.unstash(StashManager.java:162) at org.jenkinsci.plugins.workflow.support.steps. stash.UnstashStep\$Execution.run(UnstashSt ep.java:78) at org.jenkinsci.plugins.workflow.support.steps. stash.UnstashStep\$Execution.run(UnstashSt ep.java:65) at org.jenkinsci.plugins.workflow.steps.Synchro nousNonBlockingStepExecution.lambda\$star t\$0(SynchronousNonBlockingStepExecution. java:47) at java.base/java.util.concurrent.Executors\$Run nableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run (FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolEx ecutor.runWorker(ThreadPoolExecutor.java: 1128) at java.base/java.util.concurrent.ThreadPoolEx ecutor\$Worker.run(ThreadPoolExecutor.java :628) at java.base/java.lang.Thread.run(Thread.java: 829) | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 29,163 | 22,770 |

Monitoring JavaMelody on _jenkins-0

| Thread | Daemon ? | Priority | State | Executed method | Cpu time (ms) | User time (ms) |
|---|----------|----------|-----------------|---|---------------|----------------|
| RemotelyInputStream greedy pump thread: hudson.remoting.RemoteInputStream\$Greedy at hudson.remoting.RemoteInputStream.<init>(RemoteInputStream.java:108) at hudson.remoting.RemoteInputStream.<init>(RemoteInputStream.java:91) at hudson.FilePath.untar(FilePath.java:623) at org.jenkinsci.plugins.workflow.flow.StashManager unstash(SlashManager.java:162) at org.jenkinsci.plugins.workflow.support.steps. stash.UnstashStep\$Execution.run(UnstashSt ep.java:78) at org.jenkinsci.plugins.workflow.support.steps. stash.UnstashStep\$Execution.run(UnstashSt ep.java:65) at org.jenkinsci.plugins.workflow.steps.Synchro nousNonBlockingStepExecution.lambda\$star t\$0(SynchronousNonBlockingStepExecution. java:47) at java.base/java.util.concurrent.Executors\$Run nableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run (FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolEx ecutor.runWorker(ThreadPoolExecutor.java: 1128) at java.base/java.util.concurrent.ThreadPoolEx ecutor\$Worker.run(ThreadPoolExecutor.java :628) at java.base/java.lang.Thread.run(Thread.java: 829) | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 5,781 | 4,570 |
| RemoteInvocationHandler [#428] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 4 | 0 |
| Running CpsFlowExecution[Owner[Core Acceptance/master/2250:Core Acceptance/master #2250]] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/java.util.regex.Pattern.atom(Pattern.java:2313) | 102,227 | 80,540 |
| Running CpsFlowExecution[Owner[Core Integration/PR-16158/20:Core Integration/PR-16158 #20]] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 350,161 | 212,750 |
| Running CpsFlowExecution[Owner[Core Integration/PR-16215/9:Core Integration/PR- 16215 #9]] | yes | 5 | 🟢 RUNNABLE | com.google.common.util.concurrent.AbstractFuture.clearListeners(AbstractFuture.java:1135) | 19,078 | 9,360 |
| Running CpsFlowExecution[Owner[optimizercis- release/release%2FV20_2_X/32:optimizercis- release/release%2FV20_2_X #32]] | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 21,874 | 16,410 |
| Scheduler-1606304070-1 | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 518 | 330 |
| SCMEvent [#2] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 4,381 | 3,810 |
| SCMEvent [#3] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 2,792 | 2,440 |
| SCMEvent [#4] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 2,706 | 2,410 |
| SCMEvent [#5] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| SCMEvent [#6] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| SCMEvent [#7] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| SCMEvent [#8] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 0 | 0 |
| SCMTrigger [#10] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 946 | 600 |
| SCMTrigger [#1] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,197 | 900 |
| SCMTrigger [#2] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,063 | 690 |
| SCMTrigger [#3] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,083 | 710 |
| SCMTrigger [#4] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,122 | 750 |
| SCMTrigger [#5] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 978 | 700 |
| SCMTrigger [#6] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,276 | 870 |
| SCMTrigger [#7] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,143 | 890 |
| SCMTrigger [#8] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 956 | 660 |
| SCMTrigger [#9] | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 988 | 670 |
| Session-HouseKeeper-16c069df-1 | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 22 | 20 |
| Session-Scheduler-7c3fdb62-1 | no | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 72 | 30 |
| Signal Dispatcher | yes | 9 | 🟢 RUNNABLE | | 0 | 0 |
| sshd-SshServer[6a57fdd](port=1044)-timer- thread-1 | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 449 | 230 |
| SubscriptionConfigQueue.start | yes | 5 | 🟡 WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 52 | 30 |
| SyncQueueListener | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 1,010 | 820 |
| TCP agent listener port=50000 | no | 5 | 🟢 RUNNABLE | java.base@11.0.16/sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method) | 103 | 70 |
| Thread-25 | yes | 5 | 🟢 RUNNABLE | java.base@11.0.16/sun.nio.ch.EPoll.wait(Native Method) | 2 | 0 |
| Timeout.interruptions [#1] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/jdk.internal.misc.Unsafe.park(Native Method) | 36,509 | 18,080 |
| Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#52] | yes | 5 | 🟡 TIMED_WAITING | java.base@11.0.16/java.lang.Object.wait(Native Method) | 526 | 250 |

The cpu times and user times of these threads are measured from the start of the server