Access			
৪২ Collaborators and teams	Branch name pattern *		
Code and automation	main		
ያ Branches	Applies to 1 branch		
∵ Tags	main		
Actions	IIIdIII		
💪 Webhooks			
⊞ Environments	Protect matching branches		
T Pages	✓ Require a pull request before merging		
Security	When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.		
⊙ Code security and analysis	✓ Require approvals		
	When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can		
* Secrets and variables ~	be merged.		
Integrations	Required number of approvals before merging: 1 ▼		
₩ GitHub apps	Dismiss stale pull request approvals when new commits are pushed		
	New reviewable commits pushed to a matching branch will dismiss pull request review approvals.		
	Require review from Code Owners Require an approved review in pull requests including files with a designated code owner.		

reviews.

pull requests.

☼ General

Branch protection rule

☐ Restrict who can dismiss pull request reviews

Specify people, teams, or apps allowed to dismiss pull request

☐ Allow specified actors to bypass required pull requests Specify people, teams, or apps who are allowed to bypass required

✓ Require approval of the most recent reviewable push Whether the most recent reviewable push must be approved by

someone other than the person who pushed it.

Require status checks to pass before merging

Choose which status checks must pass before branches can be merged into a branch that matches this rule. When enabled, commits must first be pushed to another branch, then merged or pushed directly to a branch that matches this rule after status checks have passed.

☑ Require branches to be up to date before merging

This ensures pull requests targeting a matching branch have been tested with the latest code. This setting will not take effect unless at least one status check is enabled (see below).

Q Search for status checks in the last week for this repos

Status checks that are required.			
ansible_lint GitHub Actions	•	×	
ansible_managed_var_comment GitHub Actions	•	×	
ansible_plugin_scan	•	×	
ansible_test GitHub Actions	•	×	
Fedora-37/ansible-2.14/(citool) any source		×	
Fedora-37/ansible-2.9/(citool) any source		×	
Fedora-36/ansible-2.14/(citool) any source		×	
Fedora-36/ansible-2.9/(citool) any source		×	
CodeQL GitHub Code Scanning	•	×	
python (2.7, ubuntu-20.04) GitHub Actions	•	×	
nython (3.6 Lihuntu-20.04) 👝 Citlinh Actions	_		

руспон (3.0, аванса 20.0 1)	GILIUD ACTIONS X
python (3.8, ubuntu-latest)	GitHub Actions ▼ ×
python (3.9, ubuntu-latest)	GitHub Actions ▼ ×
python (3.10, ubuntu-latest)	GitHub Actions ▼ ×
python (3.11, ubuntu-latest)	GitHub Actions ▼ ×
differential_shellcheck	any source 🔻 🗙
 When enabled, all conversations on pull request can be merged into a bronce. Require signed commits Commits pushed to matching branch 	anch that matches this rule. Learn
Require linear history Prevent merge commits from being	pushed to matching branches.
Require merge queue (Beta) Merges to matching branches must	be performed via a merge queue.
☐ Require deployments to succe Choose which environments must be branches can be merged into a bran	successfully deployed to before
□ Lock bronch	
☐ Lock branch Branch is read-only. Users cannot pu	sh to the branch.

Restrict who can push to matching branches
Specify people, teams, or apps allowed to push to matching branches.
Required status checks will still prevent these people, teams, and apps from merging if the checks fail.
Rules applied to everyone including administrators
☐ Allow force pushes
Permit force pushes for all users with push access.
☐ Allow deletions
Allow users with push access to delete matching branches.
Save changes