



```
47 | 47 |   const server = net.createServer(function(socket) {  
48 | 48 |     socket.setNoDelay();  
49 | 49 |  
50 | 50 | -   socket.on('error', function(err) {  
    |    | +   socket.on('error', function() {
```

▼ 2  test/parallel/test-net-stream.js 

Unchanged files with check annotations Beta

```
1 | #include <stdlib.h>
```

 Check warning on line 1 in deps/uvwasi/src/uvwasi.c 

 **GitHub Actions** / build-windows



deps/uvwasi/src/uvwasi.c#L1

'_lseeki64' undefined; assuming extern returning int [D:\a\node\node\deps\uvwasi\uvwasi.vcxproj]

```
2 | #include <string.h>
```

▼ deps/uvwasi/src/uvwasi.c 

```
1 |
```


 Check warning on line 1 in deps/cares/src/ares_init.c 

 **GitHub Actions** / build-windows


deps/cares/src/ares_init.c#L1

```
'inet_addr': Use inet_pton() or InetPton() instead or define _WINSOCK_DEPRECATED_NO_WARNINGS to disable deprecated API warnin
```

```
2 | /* Copyright 1998 by the Massachusetts Institute of Technology.
```

▼ deps/cares/src/ares_init.c 

```
1 | /*
```


⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_ciph.c 

 **GitHub Actions** / build-windows

deps/openssl/openssl/ssl/ssl_ciph.c#L1

```
'function': different 'const' qualifiers [D:\a\node\node\deps\openssl\openssl.vcxproj]
```

```
2 | * Copyright 1995-2019 The OpenSSL Project Authors. All Rights Reserved.
```

▼ deps/openssl/openssl/ssl/ssl_ciph.c 

```
1 | /*
```

⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_lib.c 

 **GitHub Actions** / build-windows

deps/openssl/openssl/ssl/ssl_lib.c#L1

```
'function': different 'const' qualifiers [D:\a\node\node\deps\openssl\openssl.vcxproj]
```

⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_lib.c 

 **GitHub Actions** / build-windows

deps/openssl/openssl/ssl/ssl_lib.c#L1

```
'function': different 'const' qualifiers [D:\a\node\node\deps\openssl\openssl.vcxproj]
```

⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_lib.c

 **GitHub Actions** / build-windows

▼ deps/openssl/openssl/ssl/ssl_lib.c 

```
'function': different 'const' qualifiers [D:\a\node\node\deps\openssl\openssl.vcxproj]
```

⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_lib.c

 **GitHub Actions** / build-windows

deps/openssl/openssl/ssl/ssl_lib.c#L1

```
'function': different 'const' qualifiers [D:\a\node\node\deps\openssl\openssl.vcxproj]
```


⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_lib.c

 **GitHub Actions** / build-windows

deps/openssl/openssl/ssl/ssl_lib.c#L1

```
'function': different 'const' qualifiers [D:\a\node\node\deps\openssl\openssl.vcxproj]
```

```
2 * Copyright 1995-2019 The OpenSSL Project Authors. All Rights Reserved.  
3 * Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved  
4 * Copyright 2005 Nokia. All rights reserved.
```

▼ deps/openssl/openssl/ssl/ssl_sess.c 

```
1 /*
```

⚠ Check warning on line 1 in deps/openssl/openssl/ssl/ssl_sess.c

 **GitHub Actions** / build-windows

deps/openssl/openssl/ssl/ssl_sess.c#L1

```
'function': incompatible types - from 'volatile int *' to 'volatile LONG64 *' [D:\a\node\node\deps\openssl\openssl.vcxproj]
```

```
2 * Copyright 1995-2019 The OpenSSL Project Authors. All Rights Reserved.  
3 * Copyright 2005 Nokia. All rights reserved.  
4 *
```

 **ProTip!** Use `n` and `p` to navigate between commits in a pull request.