Create a Study in a empty root folder		
	200 POST 🔒 de... 7c44279b-9e7d-47e4-b30d-19	**200** POST 🔒 lo... 19d11ffe-9970-4fea-afe3-88
	200 GET 🔒 de... elements	**200** GET 🔒 lo... root-directories
	200 GET 🔒 de... elements	**200** GET 🔒 lo... elements
	200 GET 🔒 de... elements	**200** GET 🔒 lo... metadata?ids=7c10dd21-7f0
	200 GET 🔒 de... elements	**200** GET 🔒 lo... root-directories
	200 GET 🔒 de... root-directories	**200** GET 🔒 lo... elements
	200 GET 🔒 de... elements	**200** GET 🔒 lo... metadata?ids=7c10dd21-7f0
	200 GET 🔒 de... metadata?ids=d4b6b660-e33	
	200 GET 🔒 de... metadata?ids=d4b6b660-e33	1 POST 6 GET
	200 GET 🔒 de... elements	
	200 GET 🔒 de... metadata?ids=d4b6b660-e33	
	1 POST 10 GET	
Create a Study in a non empty root folder		État Méthode Dom... Fichier
		200 POST 🔒 lo... 4976f2f4-5142-4879-9c3f-a94d4bb
		200 GET 🔒 lo... root-directories
		200 GET 🔒 lo... elements
		200 GET 🔒 lo... metadata?ids=7c10dd21-7f03-4c06
		200 GET 🔒 lo... root-directories
		200 GET 🔒 lo... elements
		200 GET 🔒 lo... metadata?ids=7c10dd21-7f03-4c06
		1 POST 6 GET

État	Méthode	Dom...	Fichier
200	POST	🔒 de...	cd571263-9823-42ec-a31
200	GET	🔒 de...	elements
200	GET	🔒 de...	elements
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	elements
200	GET	🔒 de...	elements
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	elements
200	GET	🔒 de...	elements
200	GET	🔒 de...	elements
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	metadata?ids=90e16d73-
200	GET	🔒 de...	metadata?ids=90e16d73-

1 POST 16 GET
voir plus…

200	POST	🔒 de…	6de27f6b-1cf4-48be-b1cb-
200	GET	🔒 de…	elements
200	GET	🔒 de…	elements
200	GET	🔒 de…	metadata?ids=d4b6b660-e
200	GET	🔒 de…	elements
200	GET	🔒 de…	elements
200	GET	🔒 de…	metadata?ids=d4b6b660-e
200	GET	🔒 de…	root-directories
200	GET	🔒 de…	elements
200	GET	🔒 de…	metadata?ids=d4b6b660-e
200	GET	🔒 de…	metadata?ids=d4b6b660-e
200	GET	🔒 de…	metadata?ids=d4b6b660-e
200	GET	🔒 de…	elements
200	GET	🔒 de…	elements
200	GET	🔒 de…	elements
200	GET	🔒 de…	elements
200	GET	🔒 de…	elements
200	GET	🔒 de…	metadata?ids=d4b6b660-e

Create a Study in an empty sub folder

État	Méthode	Dom...	Fichier
200	POST	de...	a9ec9ef3-d363-48b3-ab
200	GET	de...	elements
200	GET	de...	elements
200	GET	de...	elements
200	GET	de...	elements
200	GET	de...	root-directories
200	GET	de...	elements
200	GET	de...	metadata?ids=33169a45
200	GET	de...	metadata?ids=33169a45
200	GET	de...	elements
200	GET	de...	metadata?ids=33169a45

1 POST 10 GET

État	Méthode	Dom...	Fichier
200	POST	lo...	300957d8-2822-4420-
200	GET	lo...	elements
200	GET	lo...	elements
200	GET	lo...	metadata?ids=e6c42f
200	GET	lo...	metadata?ids=e6c42f

1 POST 4 GET

Create a Study in an non empty sub folder	200 POST 🔒 de... 2cbfb163-3dc0-4842 200 GET 🔒 de... elements 200 GET 🔒 de... elements 200 GET 🔒 de... metadata?ids=33169 200 GET 🔒 de... elements 200 GET 🔒 de... elements 200 GET 🔒 de... metadata?ids=33169 200 GET 🔒 de... root-directories 200 GET 🔒 de... elements 200 GET 🔒 de... metadata?ids=33169 200 GET 🔒 de... metadata?ids=33169 200 GET 🔒 de... metadata?ids=33169 200 GET 🔒 de... elements 200 GET 🔒 de... metadata?ids=33169 1 POST 15 GET	200 POST 🔒 lo... 7d8b3819-c351-4b14-ba15-08072 200 GET 🔒 lo... elements 200 GET 🔒 lo... metadata?ids=d9acac24-f3c6-4a7 200 GET 🔒 lo... elements 200 GET 🔒 lo... metadata?ids=d9acac24-f3c6-4a7 1 POST 4 GET
Create a root folder	État Méthode Dom... Fichier 200 POST 🔒 de... root-directories 200 GET 🔒 de... root-directories	État Méthode Dom... Fichier 200 POST 🔒 lo... root-directories 200 GET 🔒 lo... root-directories

Create a sub folder in a root folder		 Why elements ? Because we can't know if it's a new root dir or an existing one being updated, then we get it's content as well. TODO manage another notification type than just UPDATE_DIRECTORY
Changing selected folder with elements		
Changing selected folder without elements		

|		
Deleting elements in selected root folder	État Méthode Dom... Fichier 200 DELETE 🔒 de... 345c34e9-t 200 GET 🔒 de... elements	200 DELETE 🔒 lo... 450eeb29-11e9-41a4-99f3-219 200 GET 🔒 lo... root-directories 200 GET 🔒 lo... elements
Deleting elements in selected folder	200 DELETE 🔒 de... 535bd1cf-d69 200 GET 🔒 de... elements 200 GET 🔒 de... metadata?ids=	État Méthode Dom... Fichier 200 DELETE 🔒 lo... ea97615a-090c-4765-ae 200 GET 🔒 lo... elements
Delete sub folder	200 DELETE 🔒 de... 535bd1cf-d692- 200 GET 🔒 de... elements	État Méthode Dom... Fichier 200 DELETE 🔒 lo... c83aa5a7-5804-4e67-t 200 GET 🔒 lo... root-directories 200 GET 🔒 lo... elements
Delete root folder	200 DELETE 🔒 de... 2db1fb29 200 GET 🔒 de... root-dire	200 DELETE 🔒 de... 2db1fb29 200 GET 🔒 de... root-dire

Delete selected sub folder	+ bug parent is not selected thats why	
Delete selected root folder		