

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

Validate that the config to added new agent ^

🕒 58.5s 📄 1 ✗ 1

✗ Validate the information to add a new Agent (example #1) 58.5s 🕒

CypressError: Timed out retrying after 40050ms: `cy.click()` failed because this element is not visible: `` has CSS property: `display: none` Fix this problem, or use `{force: true}` to disable error checking. <https://on.cypress.io/element-cannot-be-interacted-with>

Validate that the pinned filter label is displayed - from event page ^

🕒 3m 17.3s 📄 8 ✗ 8

✗ The user add and pin filter - Check across the modules - from event page - Security Events (example #1) 36s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules - from event page - Integrity Monitoring (example #2) 22.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules - from event page - System Auditing (example #3) 21.7s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules - from event page - Mitre & Attack (example #4) 22.7s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules - from event page - NIST (example #5) 22.9s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules - from event page - TSC (example #6) 23.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✗ The user add and pin filter - Check across the modules - from event page - PCIDSS (example #8)

24.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

Validate that the pinned filter label is displayed ^

🕒 3m 17.7s 📄 8 ✗ 8

✗ The user add and pin filter - Check across the modules Security Events (example #1)

35.6s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules Integrity Monitoring (example #2)

22.4s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules System Auditing (example #3)

22.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules Mitre & Attack (example #4)

22.2s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules NIST (example #5)

22.9s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules TSC (example #6)

23.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules Policy Monitoring (example #7)

24.4s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user add and pin filter - Check across the modules PCIDSS (example #8)

24.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

Validate that the added filter label is displayed from the events page ^

🕒 2m 49.5s 📄 8 ✓ 8

✓ The user add a new filer from the events page Security Events (example #1)

37.7s 🕒

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✓	The user add a new filer from the events page NIST (example #5)	19.3s	🕒
✓	The user add a new filer from the events page TSC (example #6)	19.3s	🕒
✓	The user add a new filer from the events page Policy Monitoring (example #7)	18.2s	🕒
✓	The user add a new filer from the events page PCIDSS (example #8)	19.3s	🕒

Validate that the added filter label is displayed ^

🕒 2m 15.6s 📄 8 ✓ 8

✓	The user add a new filer Security Events (example #1)	30.6s	🕒
✓	The user add a new filer Integrity Monitoring (example #2)	14.8s	🕒
✓	The user add a new filer System Auditing (example #3)	14.5s	🕒
✓	The user add a new filer Mitre & Attack (example #4)	14.9s	🕒
✓	The user add a new filer NIST (example #5)	15.1s	🕒
✓	The user add a new filer TSC (example #6)	15.6s	🕒
✓	The user add a new filer Policy Monitoring (example #7)	14.6s	🕒
✓	The user add a new filer PCIDSS (example #8)	15.1s	🕒

Pin filter - from dashboard to event page ^

🕒 2m 33.3s 📄 8 ✓ 8

✓	The user add and pin new filer - across the modules - from dashboard to event page Security Events (example ...)	32.6s	🕒
---	--	-------	---

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

The user add and pin new filer - across the modules - from dashboard to event page System Auditing (example...
16.2s 🕒



The user add and pin new filer - across the modules - from dashboard to event page Mitre & Attack (example #...
17.3s 🕒



The user add and pin new filer - across the modules - from dashboard to event page NIST (example #5)
17s 🕒



The user add and pin new filer - across the modules - from dashboard to event page TSC (example #6)
18s 🕒



The user add and pin new filer - across the modules - from dashboard to event page Policy Monitoring (exampl...
17.5s 🕒



The user add and pin new filer - across the modules - from dashboard to event page PCIDSS (example #8)
17.5s 🕒

Pin filter - from event page



🕒 3m 16.8s 📄 8 ✓ 8



The user add and pin new filer - across the modules - from event page Security Events (example #1)
41.3s 🕒



The user add and pin new filer - across the modules - from event page Integrity Monitoring (example #2)
22.9s 🕒



The user add and pin new filer - across the modules - from event page System Auditing (example #3)
19.9s 🕒



The user add and pin new filer - across the modules - from event page Mitre & Attack (example #4)
21s 🕒



The user add and pin new filer - across the modules - from event page NIST (example #5) 24s 🕒

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✓ The user add and pin new filer - across the modules - from event page PCIDSS (example #8) 23.3s 🕒

Pin filter - across the modules ^

🕒 2m 27.3s 📄 8 ✓ 8

✓ The user add and pin new filer - across the modules Security Events (example #1) 32.2s 🕒

✓ The user add and pin new filer - across the modules Integrity Monitoring (example #2) 16.1s 🕒

✓ The user add and pin new filer - across the modules System Auditing (example #3) 15.9s 🕒

✓ The user add and pin new filer - across the modules Mitre & Attack (example #4) 16.2s 🕒

✓ The user add and pin new filer - across the modules NIST (example #5) 16.8s 🕒

✓ The user add and pin new filer - across the modules TSC (example #6) 17.3s 🕒

✓ The user add and pin new filer - across the modules Policy Monitoring (example #7) 15.8s 🕒

✓ The user add and pin new filer - across the modules PCIDSS (example #8) 16.6s 🕒

Validate that the added filter label is remove after click remove filter option agent modules Dashboard ^

🕒 3m 16s 📄 8 ✗ 8

✗ The user remove a filter from Agent - Security Events - Dashboard (example #1) 35.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - Integrity Monitoring - Dashboard (example #2) 22.4s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - System Auditing - Dashboard (example #3) 22.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - Mitre & Attack - Dashboard (example #4) 22.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✗ The user remove a filter from Agent - Policy Monitoring - Dashboard (example #7) 23.2s 🕒

23.2s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - PCIDSS - Dashboard (example #8) 24.2s 🕒

24.2s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

Check that the added filter is removed after click on the removed button - Events ^

🕒 3m 16s 📄 8 ✗ 8

✗ The user remove a filter from Agent - Security Events - Dashboard (example #1) 35.7s 🕒

35.7s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - Integrity Monitoring - Dashboard (example #2) 22.3s 🕒

22.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - System Auditing - Dashboard (example #3) 21.1s 🕒

21.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - Mitre & Attack - Dashboard (example #4) 22.5s 🕒

22.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - NIST - Dashboard (example #5) 23s 🕒

23s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - TSC - Dashboard (example #6) 23.1s 🕒

23.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - Policy Monitoring - Dashboard (example #7) 23.6s 🕒

23.6s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗ The user remove a filter from Agent - PCIDSS - Dashboard (example #8) 24.3s 🕒

24.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

 cypress









 54m 0.3s

 36

 179

 96

 83

✓	The user remove an added filter - Module - Dashboard Security Events (example #1)	26.3s	
✓	The user remove an added filter - Module - Dashboard Integrity Monitoring (example #2)	11.1s	
✓	The user remove an added filter - Module - Dashboard System Auditing (example #3)	10.6s	
✓	The user remove an added filter - Module - Dashboard Mitre & Attack (example #4)	10.1s	
✓	The user remove an added filter - Module - Dashboard NIST (example #5)	11.5s	
✓	The user remove an added filter - Module - Dashboard TSC (example #6)	11.8s	
✓	The user remove an added filter - Module - Dashboard Policy Monitoring (example #7)	10.6s	
✓	The user remove an added filter - Module - Dashboard PCIDSS (example #8)	11.3s	

Validate that the added filter label is remove after click remove filter option modules Events ^

 2m 26.9s

 9

 9

✓	The user remove an added filter - Module - Events Security Events (example #1)	32s	
✓	The user remove an added filter - Module - Events Integrity Monitoring (example #2)	14.8s	
✓	The user remove an added filter - Module - Events System Auditing (example #3)	13.9s	
✓	The user remove an added filter - Module - Events Vulnerabilities (example #4)	13s	
✓	The user remove an added filter - Module - Events Mitre & Attack (example #5)	14.7s	
✓	The user remove an added filter - Module - Events NIST (example #6)	13.9s	
✓	The user remove an added filter - Module - Events TSC (example #7)	15s	
✓	The user remove an added filter - Module - Events Policy Monitoring (example #8)	15.1s	
✓	The user remove an added filter - Module - Events PCIDSS (example #9)	14s	

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with AND (example #2)

3.2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with AND (example #3)

1.8s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with AND (example #4)

1.7s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with AND (example #5)

3.3s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #1)

1.9s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #2)

1.7s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

≡ cypress

🕒 54m 0.3s

📄 36

🗑️ 179

✓ 96

✗ 83

accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

✗ Search by parameters with OR (example #4)

3.7s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

✗ Search by parameters with OR (example #5)

4s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

Unpinned filter from agent - Dashboard



🕒 3m 16.4s

📄 8

✗ 8



The user adds a new pin filer and remove it - across the modules - from dashboard Security Events (example #...

35.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.



The user adds a new pin filer and remove it - across the modules - from dashboard Integrity Monitoring (exam...

22.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.



The user adds a new pin filer and remove it - across the modules - from dashboard System Auditing (example ...

22.2s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.



The user adds a new pin filer and remove it - across the modules - from dashboard Mitre & Attack (example #4)

22.4s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

23.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗

The user adds a new pin filer and remove it - across the modules - from dashboard Policy Monitoring (example...

23.6s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

✗

The user adds a new pin filer and remove it - across the modules - from dashboard PCIDSS (example #8)

23.8s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="row-001"]`, but never found it.

Should Displays a message to restart the cluster after saves ^

🕒 35.6s 📄 1 ✗ 1

✗

Validate creation message is displayed after creating a new decoder

35.6s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiFlexGroup .euiFlexItem .euiButtonEmpty .euiButtonContent .euiButtonEmpty__text:contains("Add new decoders file")`, but never found it.

Should Displays a warning modal - Management - edit decoders ^

🕒 36.5s 📄 1 ✗ 1

✗

Validate confirmation when closing modal without saving - Management - edit decoders

36.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiToggle__input`, but never found it.

Should List Decoders And Show The Pager ^

🕒 1m 23.7s 📄 3 ✗ 3

✗

Should List Decoders And Show The Pager

35.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[class="euiTitle euiTitle--medium"]`, but never found it.

✗

Should List Custom Decoders And Show The Pager

24.1s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiToggle__input`, but never found it.

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

groups

🕒 17.7s 📄 1 ✗ 1

✗ Validate confirmation when closing modal without saving - Management - edit groups 17.7s 🕒

CypressError: `cy.click()` can only be called on a single element. Your subject contained 2 elements. Pass `{ multiple: true }` if you want to serially click each element. <https://on.cypress.io/click>

Generating reports from module and agents

🕒 32.8s 📄 8 ✗ 8

✗ Create a report from modules and agents Security Events (example #1) 17.1s 🕒

CypressError: `cy.request()` failed trying to load: <https://localhost:5601/elastic/samplealerts/security> We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: <https://localhost:5601/elastic/samplealerts/security> ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

✗ Create a report from modules and agents Integrity Monitoring (example #2) 3.1s 🕒

CypressError: `cy.request()` failed trying to load: <https://localhost:5601/elastic/samplealerts/security> We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: <https://localhost:5601/elastic/samplealerts/security> ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

✗ Create a report from modules and agents System Auditing (example #3) 1.8s 🕒

CypressError: `cy.request()` failed trying to load: <https://localhost:5601/elastic/samplealerts/security> We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: <https://localhost:5601/elastic/samplealerts/security> ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

✗ Create a report from modules and agents Mitre & Attack (example #4) 1.7s 🕒

CypressError: `cy.request()` failed trying to load: <https://localhost:5601/elastic/samplealerts/security> We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: <https://localhost:5601/elastic/samplealerts/security> ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✗ Create a report from modules and agents TSC (example #6)

1.9s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents Policy Monitoring (example #7)

1.6s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents PCIDSS (example #8)

2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

Generating reports from modules



🕒 36.2s

📄 8

✗ 8

✗ Create a report from modules Security Events (example #1)

17.1s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules Integrity Monitoring (example #2)

3.2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✗ Create a report from modules Mitre & Attack (example #4) 3.3s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules NIST (example #5) 1.8s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules TSC (example #6) 3.2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules Policy Monitoring (example #7) 2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules PCIDSS (example #8) 3.5s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

Should Displayes a message to restart the cluster after saves ^

🕒 21.8s 📄 1 ✓ 1

✓ Validate creation message is displayed after creating a new rule 21.8s 🕒

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiButtonGroup .euiButton.euiButton--text`, but never found it.

Validate Filter Rule refresh option is working fine ^

🕒 37.3s 📄 1 ✗ 1

✗ Filter Rule are displayed after refreshing the page (example #1) 37.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[class="euiTitle euiTitle--medium"]`, but never found it.

Validate refresh option is working fine ^

🕒 35.4s 📄 1 ✗ 1

✗ Rules are displayed after refreshing the page 35.4s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[class="euiTitle euiTitle--medium"]`, but never found it.

Should List Rules And Show The Pager ^

🕒 1m 19.4s 📄 2 ✗ 2

✗ Should List Rules And Show The Pager 35.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[class="euiTitle euiTitle--medium"]`, but never found it.

✗ Should List Custom Rules And Show The Pager 43.8s 🕒

AssertionError: Timed out retrying after 40000ms: expected 'https://192.168.0.36/app/wazuh#/manager/?tab=welcome&tabView=panels' to include '/manager/?tab=rules'

Should List Rules filtered by Level be shown in the list of rules ^

🕒 19.1s 📄 1 ✓ 1

✓ Filter Rule By Level (example #1) 19.1s 🕒

 cypress



 54m 0.3s

 36

 179

 96

 83


 Rules are displayed - Select a previous page
14.6s 
 Rules are displayed - Select a next page
14.5s 
 Rules are displayed - Last Page
9.3s 
 Rules are displayed - First Page
9.2s 

Validate row dropdown on Rule page

 1m 54.4s  5  2  3

 Rules are displayed - Select 10 rows
20.5s 
 Rules are displayed - Select 15 rows
21.8s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiContextMenuPanel [data-test-subj="tablePagination-15-rows"]`, but never found it.

 Rules are displayed - Select 25 rows
6.6s 
 Rules are displayed - Select 50 rows
42.8s 


AssertionError: Timed out retrying after 40000ms: expected 'https://192.168.0.36/app/wazuh#/manager/?tab=welcome&tabView=panels' to include '/manager/?tab=rules'

 Rules are displayed - Select 100 rows
22.5s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="tablePaginationPopoverButton"]`, but never found it.

Wazuh version information

 20.1s  1  1

 Check Wazuh version information
20.1s 

API configuration instructions and connection validation

 1m 10.3s  3  2  1

 cypress

 54m 0.3s

 36

 179


 96

 83

AssertionError: Timed out retrying after 40000ms: Expected to find element: `tbody tr td`, but never found it.

add Configuration to modules










 38.6s  1  1

 Add configuration data
38.6s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiPageBody .euiFlexItem:nth-child(1) .euiPanel .euiForm .euiDescribedFormGroup:nth-child(3) .euiFlexItem:nth-child(2) .euiFormRow__fieldWrapper button`, but never found it.

disable modules

 1m 41.1s  11  11

 Disable modules, Amazon AWS (example #1)
23.9s 
 Disable modules, Google Cloud Platform (example #2)
8.1s 
 Disable modules, GitHub (example #3)
8s 
 Disable modules, OpenSCAP (example #4)
7.9s 
 Disable modules, CIS-CAT (example #5)
7.4s 
 Disable modules, VirusTotal (example #6)
6.6s 
 Disable modules, Osquery (example #7)
8.2s 
 Disable modules, Docker listener (example #8)
8s 
 Disable modules, GDPR (example #9)
6.6s 
 Disable modules, HIPAA (example #10)
8.1s 
 Disable modules, TSC (example #11)
8s 

≡ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

✓	Enable modules, Google Cloud Platform (example #2)	6.9s 🕒
✓	Enable modules, GitHub (example #3)	7s 🕒
✓	Enable modules, OpenSCAP (example #4)	7.1s 🕒
✓	Enable modules, CIS-CAT (example #5)	5.7s 🕒
✓	Enable modules, VirusTotal (example #6)	6.9s 🕒
✓	Enable modules, Osquery (example #7)	5.3s 🕒
✓	Enable modules, Docker listener (example #8)	5.2s 🕒
✓	Enable modules, GDPR (example #9)	6.9s 🕒
✓	Enable modules, HIPAA (example #10)	5.5s 🕒
✓	Enable modules, TSC (example #11)	5.3s 🕒

Read Kibana logs		^
🕒 25.8s	📄 2	✓ 2
✓	Check Kibana logs	20s 🕒
✓	Reload Kibana logs	5.8s 🕒

Run health checks		^
🕒 19.4s	📄 1	✓ 1
✓	Run health check	19.4s 🕒

Add/Delete Sample data to modules		^
🕒 1m 19.7s	📄 2	✓ 2

☰ cypress

🕒 54m 0.3s

📄 36

📄 179

✓ 96

✗ 83

©2022 Mochawesome was designed and built by Adam Gruber • v6.2.0