

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

Validate that the config to added new agent ^

🕒 59.4s 📄 1 ✗ 1

✗ Validate the information to add a new Agent (example #1) 59.4s 🕒

AssertionError: Timed out retrying after 40000ms: has expected [Choose the Operating system] text in each paragraph [Choose the operating system]: expected 'Choose the Operating system' to include ['Choose the operating system']

Validate that the pinned filter label is displayed - from event page ^

🕒 4m 36.4s 📄 8 ✓ 6 ✗ 2

✓ The user add and pin filter - Check across the modules - from event page - Security Events (example #1) 41.6s 🕒

✓ The user add and pin filter - Check across the modules - from event page - Integrity Monitoring (example #2) 23.9s 🕒

✗ The user add and pin filter - Check across the modules - from event page - System Auditing (example #3) 40s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<button.euiBadge__childButton>' to be 'visible' This element '<button.euiBadge__childButton>' is not visible because its parent '<div.no-opacity>' has CSS property: 'opacity: 0'

✓ The user add and pin filter - Check across the modules - from event page - Mitre & Attack (example #4) 29.1s 🕒

✓ The user add and pin filter - Check across the modules - from event page - NIST (example #5) 34.7s 🕒

✓ The user add and pin filter - Check across the modules - from event page - TSC (example #6) 32.4s 🕒

✓ The user add and pin filter - Check across the modules - from event page - Policy Monitoring (example #7) 29s 🕒

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

Validate that the pinned filter label is displayed



🕒 3m 1.5s 📄 8 ✓ 7 ✗ 1

| | | | |
|--|--|-------|---|
| ✓ | The user add and pin filter - Check across the modules Security Events (example #1) | 35s | 🕒 |
| ✓ | The user add and pin filter - Check across the modules Integrity Monitoring (example #2) | 17.4s | 🕒 |
| ✗ | The user add and pin filter - Check across the modules System Auditing (example #3) | 23.6s | 🕒 |
| <p>AssertionError: Timed out retrying after 18000ms: expected '<button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty--xSmall.globalFilterBar__addButton>' to be 'visible' This element '<button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty--xSmall.globalFilterBar__addButton>' is not visible because its parent '<div.no-opacity>' has CSS property: 'opacity: 0'</p> | | | |
| ✓ | The user add and pin filter - Check across the modules Mitre & Attack (example #4) | 20.6s | 🕒 |
| ✓ | The user add and pin filter - Check across the modules NIST (example #5) | 20.4s | 🕒 |
| ✓ | The user add and pin filter - Check across the modules TSC (example #6) | 21.7s | 🕒 |
| ✓ | The user add and pin filter - Check across the modules Policy Monitoring (example #7) | 21.4s | 🕒 |
| ✓ | The user add and pin filter - Check across the modules PCIDSS (example #8) | 21.1s | 🕒 |

Validate that the added filter label is displayed from the events page



🕒 2m 46.6s 📄 8 ✓ 8

| | | | |
|---|--|-------|---|
| ✓ | The user add a new filter from the events page Security Events (example #1) | 33.9s | 🕒 |
| ✓ | The user add a new filter from the events page Integrity Monitoring (example #2) | 19.1s | 🕒 |
| ✓ | The user add a new filter from the events page System Auditing (example #3) | 17.9s | 🕒 |
| ✓ | The user add a new filter from the events page Mitre & Attack (example #4) | 19.2s | 🕒 |
| ✓ | The user add a new filter from the events page NIST (example #5) | 19.4s | 🕒 |
| ✓ | The user add a new filter from the events page TSC (example #6) | 19.2s | 🕒 |

☰ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

Validate that the added filter label is displayed ^

🕒 2m 16.6s 📄 8 ✓ 8

| | | |
|---|--|---------|
| ✓ | The user add a new filer Security Events (example #1) | 30.8s 🕒 |
| ✓ | The user add a new filer Integrity Monitoring (example #2) | 14.7s 🕒 |
| ✓ | The user add a new filer System Auditing (example #3) | 14.5s 🕒 |
| ✓ | The user add a new filer Mitre & Attack (example #4) | 14.7s 🕒 |
| ✓ | The user add a new filer NIST (example #5) | 15s 🕒 |
| ✓ | The user add a new filer TSC (example #6) | 16.1s 🕒 |
| ✓ | The user add a new filer Policy Monitoring (example #7) | 14.5s 🕒 |
| ✓ | The user add a new filer PCIDSS (example #8) | 15.9s 🕒 |

Pin filter - from dashboard to event page ^

🕒 2m 39.7s 📄 8 ✓ 8

| | | |
|---|--|---------|
| ✓ | The user add and pin new filer - across the modules - from dashboard to event page Security Events (example ...) | 34.9s 🕒 |
| ✓ | The user add and pin new filer - across the modules - from dashboard to event page Integrity Monitoring (exa...) | 18.8s 🕒 |
| ✓ | The user add and pin new filer - across the modules - from dashboard to event page System Auditing (example...) | 16.4s 🕒 |
| ✓ | The user add and pin new filer - across the modules - from dashboard to event page Mitre & Attack (example #...) | 17.1s 🕒 |

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54



The user add and pin new filer - across the modules - from dashboard to event page Policy Monitoring (exampl...

16.9s 🕒



The user add and pin new filer - across the modules - from dashboard to event page PCIDSS (example #8)

18.6s 🕒

Pin filter - from event page



🕒 3m 14.8s 📄 8 ✓ 8



The user add and pin new filer - across the modules - from event page Security Events (example #1)

39s 🕒



The user add and pin new filer - across the modules - from event page Integrity Monitoring (example #2)

23.5s 🕒



The user add and pin new filer - across the modules - from event page System Auditing (example #3)

20.2s 🕒



The user add and pin new filer - across the modules - from event page Mitre & Attack (example #4)

20.8s 🕒



The user add and pin new filer - across the modules - from event page NIST (example #5)

22.6s 🕒



The user add and pin new filer - across the modules - from event page TSC (example #6)

22.4s 🕒



The user add and pin new filer - across the modules - from event page Policy Monitoring (example #7)

23s 🕒



The user add and pin new filer - across the modules - from event page PCIDSS (example #8)

23.1s 🕒

Pin filter - across the modules



🕒 2m 29.6s 📄 8 ✓ 8

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

| | | | |
|---|--|-------|---|
| ✓ | The user add and pin new filer - across the modules Mitre & Attack (example #4) | 16.3s | 🕒 |
| ✓ | The user add and pin new filer - across the modules NIST (example #5) | 16.9s | 🕒 |
| ✓ | The user add and pin new filer - across the modules TSC (example #6) | 17.7s | 🕒 |
| ✓ | The user add and pin new filer - across the modules Policy Monitoring (example #7) | 16s | 🕒 |
| ✓ | The user add and pin new filer - across the modules PCIDSS (example #8) | 17.9s | 🕒 |

Validate that the added filter label is remove after click remove filter option agent modules Dashboard ^

🕒 2m 8.7s 📄 8 ✓ 7 ✗ 1

| | | | |
|---|--|-------|---|
| ✓ | The user remove a filter from Agent - Security Events - Dashboard (example #1) | 28.2s | 🕒 |
| ✓ | The user remove a filter from Agent - Integrity Monitoring - Dashboard (example #2) | 11.2s | 🕒 |
| ✗ | The user remove a filter from Agent - System Auditing - Dashboard (example #3) <i>AssertionError: Timed out retrying after 18000ms: expected '<button.euiButtonEmpty.euiButtonEmpty-primary.euiButtonEmpty-xSmall.globalFilterBar__addButton>' to be 'visible' This element '<button.euiButtonEmpty.euiButtonEmpty-primary.euiButtonEmpty-xSmall.globalFilterBar__addButton>' is not visible because its parent '<div.no-opacity>' has CSS property: 'opacity: 0'</i> | 23.3s | 🕒 |
| ✓ | The user remove a filter from Agent - Mitre & Attack - Dashboard (example #4) | 13.3s | 🕒 |
| ✓ | The user remove a filter from Agent - NIST - Dashboard (example #5) | 12.9s | 🕒 |
| ✓ | The user remove a filter from Agent - TSC - Dashboard (example #6) | 13.2s | 🕒 |
| ✓ | The user remove a filter from Agent - Policy Monitoring - Dashboard (example #7) | 13.1s | 🕒 |
| ✓ | The user remove a filter from Agent - PCIDSS - Dashboard (example #8) | 13.3s | 🕒 |

Check that the added filter is removed after click on the removed button - Events ^

🕒 4m 9.8s 📄 8 ✓ 5 ✗ 3

 cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

| | | | |
|--|--|-------|---|
| ✓ | The user remove a filter from Agent - System Auditing - Dashboard (example #3) | 18.3s | 🕒 |
| ✗ | The user remove a filter from Agent - Mitre & Attack - Dashboard (example #4) | 45.2s | 🕒 |
| <p>AssertionError: Timed out retrying after 40000ms: Expected to find element: `//*[contains(@class,"wz-module-header-agent-main")]//*/button//*/span[contains(text(),"More")]`, but never found it.</p> | | | |
| ✓ | The user remove a filter from Agent - NIST - Dashboard (example #5) | 20.6s | 🕒 |
| ✓ | The user remove a filter from Agent - TSC - Dashboard (example #6) | 20.8s | 🕒 |
| ✗ | The user remove a filter from Agent - Policy Monitoring - Dashboard (example #7) | 44.8s | 🕒 |
| <p>AssertionError: Timed out retrying after 40000ms: Expected to find element: `//*[contains(@class,"wz-module-header-agent-main")]//*/button//*/span[contains(text(),"More")]`, but never found it.</p> | | | |
| ✓ | The user remove a filter from Agent - PCIDSS - Dashboard (example #8) | 23.5s | 🕒 |

Validate that the added filter label is remove after click remove filter option modules Dashboard ^

🕒 1m 45.6s 📄 8 ✓ 8

| | | | |
|---|--|-------|---|
| ✓ | The user remove an added filter - Module - Dashboard Security Events (example #1) | 26.6s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard Integrity Monitoring (example #2) | 11.3s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard System Auditing (example #3) | 9.9s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard Mitre & Attack (example #4) | 11.2s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard NIST (example #5) | 11.9s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard TSC (example #6) | 11.8s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard Policy Monitoring (example #7) | 11s | 🕒 |
| ✓ | The user remove an added filter - Module - Dashboard PCIDSS (example #8) | 11.6s | 🕒 |

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

| | | |
|---|---|---------|
| ✓ | The user remove an added filter - Module - Events Security Events (example #1) | 29.6s 🕒 |
| ✓ | The user remove an added filter - Module - Events Integrity Monitoring (example #2) | 15.4s 🕒 |
| ✓ | The user remove an added filter - Module - Events System Auditing (example #3) | 14.1s 🕒 |
| ✓ | The user remove an added filter - Module - Events Vulnerabilities (example #4) | 12.9s 🕒 |
| ✓ | The user remove an added filter - Module - Events Mitre & Attack (example #5) | 15.3s 🕒 |
| ✓ | The user remove an added filter - Module - Events NIST (example #6) | 14.4s 🕒 |
| ✓ | The user remove an added filter - Module - Events TSC (example #7) | 15.2s 🕒 |
| ✓ | The user remove an added filter - Module - Events Policy Monitoring (example #8) | 14.3s 🕒 |
| ✓ | The user remove an added filter - Module - Events PCIDSS (example #9) | 15.3s 🕒 |

Search by parameters ^

🕒 45.1s 📄 10 ✗ 10

| | | |
|---|--|---------|
| ✗ | Search by parameters with AND (example #1) | 17.4s 🕒 |
| <p>CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request</p> | | |
| ✗ | Search by parameters with AND (example #2) | 3.1s 🕒 |
| <p>CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request</p> | | |
| ✗ | Search by parameters with AND (example #3) | 1.8s 🕒 |
| <p>CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request</p> | | |

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

✗ Search by parameters with AND (example #5) 3.3s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #1) 2.8s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #2) 3.2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #3) 3.8s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #4) 3s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Search by parameters with OR (example #5) 4.5s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

The user adds a new pin filer and remove it - across the modules - from dashboard Security Events (example #...

58s 🕒

AssertionError: Timed out retrying after 40000ms: Expected to find element: `//*[contains(@class,"wz-module-header-agent-main")]//*/button//*/span[contains(text(),"More")]`, but never found it.

✗

The user adds a new pin filer and remove it - across the modules - from dashboard Integrity Monitoring (exam...

44.9s 🕒

AssertionError: Timed out retrying after 40000ms: Expected to find element: `//*[contains(@class,"wz-module-header-agent-main")]//*/button//*/span[contains(text(),"More")]`, but never found it.

✗

The user adds a new pin filer and remove it - across the modules - from dashboard System Auditing (example ...

45s 🕒

AssertionError: Timed out retrying after 40000ms: Expected to find element: `//*[contains(@class,"wz-module-header-agent-main")]//*/button//*/span[contains(text(),"More")]`, but never found it.

✓

The user adds a new pin filer and remove it - across the modules - from dashboard Mitre & Attack (example #4)

26.8s 🕒

✓

The user adds a new pin filer and remove it - across the modules - from dashboard NIST (example #5)

27.8s 🕒

✓

The user adds a new pin filer and remove it - across the modules - from dashboard TSC (example #6)

28.5s 🕒

✓

The user adds a new pin filer and remove it - across the modules - from dashboard Policy Monitoring (example...

27.7s 🕒

✓

The user adds a new pin filer and remove it - across the modules - from dashboard PCIDSS (example #8)

27.5s 🕒

Should Displayes a message to restart the cluster after saves ^

🕒 20.4s

📄 1

✓ 1

✓

Validate creation message is displayed after creating a new decoder

20.4s 🕒

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

✗ Validate confirmation when closing modal without saving - Management - edit decoders 37s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiToggle__input`, but never found it.

Should List Decoders And Show The Pager ^

🕒 1m 23.4s 📄 3 ✗ 3

✗ Should List Decoders And Show The Pager 35.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[class="euiTitle euiTitle--medium"]`, but never found it.

✗ Should List Custom Decoders And Show The Pager 23.8s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiToggle__input`, but never found it.

✗ Should can edit a decoder 24s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiToggle__input`, but never found it.

Should Displayes a warning modal - Management - edit groups ^

🕒 18.6s 📄 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit groups 18.6s 🕒

Generating reports from module and agents ^

🕒 42.7s 📄 8 ✗ 8

✗ Create a report from modules and agents Security Events (example #1) 17.4s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

✗ Create a report from modules and agents System Auditing (example #3) 2.2s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents Mitre & Attack (example #4) 3.5s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents NIST (example #5) 3.7s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents TSC (example #6) 4s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents Policy Monitoring (example #7) 4s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules and agents PCIDSS (example #8) 4s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules Integrity Monitoring (example #2)

3.1s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules System Auditing (example #3)

1.8s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules Mitre & Attack (example #4)

2.3s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules NIST (example #5)

3.1s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules TSC (example #6)

3.7s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

✗ Create a report from modules Policy Monitoring (example #7)

3.8s 🕒

CypressError: `cy.request()` failed trying to load: https://localhost:5601/elastic/samplealerts/security We attempted to make an http request to this URL but the request failed without a response. We received this error at the network level: > Error: connect ECONNREFUSED 127.0.0.1:5601 ----- The request we sent was: Method: POST URL: https://localhost:5601/elastic/samplealerts/security ----- Common situations why this would fail: - you don't have internet access - you forgot to run / boot your web server - your web server isn't accessible - you have weird network configuration settings on your computer https://on.cypress.io/request

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

accessible - you have weird network configuration settings on your computer <https://on.cypress.io/request>

Should Displays a message to restart the cluster after saves ^

🕒 35.6s 📄 1 ✗ 1

✗ Validate creation message is displayed after creating a new rule

35.6s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: ``.euiFlexGroup .euiFlexItem .euiButtonEmpty .euiButtonContent .euiButtonEmpty__text:contains("Add new rules file")``, but never found it.

Should Displays a warning modal - Management - edit rules ^

🕒 35.5s 📄 1 ✗ 1

✗ Validate confirmation when closing modal without saving - Management - edit rules

35.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: ``.euiButtonGroup .euiButton.euiButton--text``, but never found it.

Validate Filter Rule refresh option is working fine ^

🕒 37.3s 📄 1 ✗ 1

✗ Filter Rule are displayed after refreshing the page (example #1)

37.3s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: ``[class="euiTitle euiTitle--medium"]``, but never found it.

Validate refresh option is working fine ^

🕒 35.4s 📄 1 ✗ 1

✗ Rules are displayed after refreshing the page

35.4s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: ``[class="euiTitle euiTitle--medium"]``, but never found it.

Should List Rules And Show The Pager ^

🕒 1m 41.7s 📄 2 ✗ 2

 cypress

 57m 9.9s

 36

 179

 125

 54

AssertionError: Timed out retrying after 40000ms: expected 'https://192.168.0.220/app/wazuh#/manager/?tab=welcome&tabView=panels' to include '/manager/?tab=rules'


Should List Rules filtered by Level be shown in the list of rules

 19.1s  1  1


 Filter Rule By Level (example #1)
19.1s 

Validate paginator on Rule page


 1m 36.1s  5  3  2

 Rules are displayed when user clicks the first page
35s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiBasicTable .euiPagination`, but never found it.

 Rules are displayed - Select a previous page
22.3s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiBasicTable .euiPagination`, but never found it.

 Rules are displayed - Select a next page
16.5s 
 Rules are displayed - Last Page
11.2s 
 Rules are displayed - First Page
11.1s 

Validate row dropdown on Rule page

 1m 34.6s  5  2  3

 Rules are displayed - Select 10 rows
20.8s 
 Rules are displayed - Select 15 rows
21.7s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiContextMenuPanel [data-test-subj="tablePagination-15-rows"]`, but never found it.

 Rules are displayed - Select 25 rows
21.7s 

AssertionError: Timed out retrying after 18000ms: Expected to find element: `[data-test-subj="tablePaginationPopoverButton"]`, but never found it.

≡ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

Wazuh version information



🕒 19.8s 📄 1 ✓ 1

✓ Check Wazuh version information

19.8s 🕒

API configuration instructions and connection validation



🕒 1m 10.4s 📄 3 ✓ 2 ✗ 1

✓ Check API configuration connection

19.8s 🕒

✓ See API configuration instructions

5.2s 🕒

✗ See API configuration instructions

45.4s 🕒

AssertionError: Timed out retrying after 40000ms: Expected to find element: `tbody tr td`, but never found it.

add Configuration to modules



🕒 38.5s 📄 1 ✗ 1

✗ Add configuration data

38.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiPageBody .euiFlexItem:nth-child(1) .euiPanel .euiForm .euiDescribedFormGroup:nth-child(3) .euiFlexItem:nth-child(2) .euiFormRow__fieldWrapper button`, but never found it.

disable modules



🕒 1m 43.1s 📄 11 ✓ 11

✓ Disable modules, Amazon AWS (example #1)

23.5s 🕒

✓ Disable modules, Google Cloud Platform (example #2)

8s 🕒

✓ Disable modules, GitHub (example #3)

7.1s 🕒





✓ Disable modules, OpenSCAP (example #4)

8.2s 🕒

 cypress 57m 9.9s 36 179

✓ 125

✗ 54

| | | |
|---|---|--|
| ✓ | Disable modules, Docker listener (example #8) | 7.9s  |
| ✓ | Disable modules, GDPR (example #9) | 8.1s  |
| ✓ | Disable modules, HIPAA (example #10) | 7.9s  |
| ✓ | Disable modules, TSC (example #11) | 7.9s  |

enable modules  1m 27.7s  11 ✓ 11

| | | |
|---|--|--|
| ✓ | Enable modules, Amazon AWS (example #1) | 22s  |
| ✓ | Enable modules, Google Cloud Platform (example #2) | 6.9s  |
| ✓ | Enable modules, GitHub (example #3) | 6.9s  |
| ✓ | Enable modules, OpenSCAP (example #4) | 7s  |
| ✓ | Enable modules, CIS-CAT (example #5) | 7.1s  |
| ✓ | Enable modules, VirusTotal (example #6) | 6.2s  |
| ✓ | Enable modules, Osquery (example #7) | 6.4s  |
| ✓ | Enable modules, Docker listener (example #8) | 6.9s  |
| ✓ | Enable modules, GDPR (example #9) | 5.5s  |
| ✓ | Enable modules, HIPAA (example #10) | 5.3s  |
| ✓ | Enable modules, TSC (example #11) | 7s  |

Read Kibana logs  26.3s  2 ✓ 2

☰ cypress

🕒 57m 9.9s

📄 36

📄 179

✓ 125

✗ 54

Run health checks ^

🕒 19.8s 📄 1 ✓ 1

✓ Run health check

19.8s 🕒

Add/Delete Sample data to modules ^

🕒 1m 19s 📄 2 ✓ 2

✓ Add all sample data

1m 5.7s 🕒

✓ Delete all sample data

13.3s 🕒

©2022 Mochawesome was designed and built by Adam Gruber • v6.2.0