

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

### Validate that the config to added new agent ^

🕒 13.3s 📄 1 ✓ 1

✓ Validate the information to add a new Agent (example #1)

13.3s 🕒

### Validate that the pinned filter label is displayed - from event page ^

🕒 3m 38.6s 📄 8 ✓ 8

✓ The user add and pin filter - Check across the modules - from event page - Security Events (example #1)  
39.5s 🕒

✓  
The user add and pin filter - Check across the modules - from event page - Integrity Monitoring (example #2)  
23.9s 🕒

✓ The user add and pin filter - Check across the modules - from event page - System Auditing (example #3)  
27.5s 🕒

✓ The user add and pin filter - Check across the modules - from event page - Mitre & Attack (example #4)  
23.3s 🕒

✓ The user add and pin filter - Check across the modules - from event page - NIST (example #5) 26s 🕒

✓ The user add and pin filter - Check across the modules - from event page - TSC (example #6) 25s 🕒

✓  
The user add and pin filter - Check across the modules - from event page - Policy Monitoring (example #7)  
23.6s 🕒

✓ The user add and pin filter - Check across the modules - from event page - PCIDSS (example #8)  
29.5s 🕒

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

✓	The user add and pin filter - Check across the modules Integrity Monitoring (example #2)	18.4s	🕒
✓	The user add and pin filter - Check across the modules System Auditing (example #3)	17.4s	🕒
✓	The user add and pin filter - Check across the modules Mitre & Attack (example #4)	18.8s	🕒
✓	The user add and pin filter - Check across the modules NIST (example #5)	19.2s	🕒
✓	The user add and pin filter - Check across the modules TSC (example #6)	18.9s	🕒
✓	The user add and pin filter - Check across the modules Policy Monitoring (example #7)	18s	🕒
✓	The user add and pin filter - Check across the modules PCIDSS (example #8)	18.5s	🕒

### Validate that the added filter label is displayed from the events page ^

🕒 3m 9.3s 📄 8 ✓ 8

✓	The user add a new filer from the events page Security Events (example #1)	34.6s	🕒
✓	The user add a new filer from the events page Integrity Monitoring (example #2)	22.6s	🕒
✓	The user add a new filer from the events page System Auditing (example #3)	22s	🕒
✓	The user add a new filer from the events page Mitre & Attack (example #4)	21.4s	🕒
✓	The user add a new filer from the events page NIST (example #5)	22.2s	🕒
✓	The user add a new filer from the events page TSC (example #6)	22.2s	🕒
✓	The user add a new filer from the events page Policy Monitoring (example #7)	22s	🕒
✓	The user add a new filer from the events page PCIDSS (example #8)	22s	🕒

### Validate that the added filter label is displayed ^

🕒 2m 27.8s 📄 8 ✓ 8

 cypress










 40m 38.3s

 31

 140













 132

 8

	The user add a new filer Mitre & Attack (example #4)	17.3s 
	The user add a new filer NIST (example #5)	17.2s 
	The user add a new filer TSC (example #6)	18.2s 
	The user add a new filer Policy Monitoring (example #7)	16s 
	The user add a new filer PCIDSS (example #8)	17.9s 

## Pin filter - from dashboard to event page

 2m 58.1s  8  8

	The user add and pin new filer - across the modules - from dashboard to event page Security Events (example ...	30.6s 
	The user add and pin new filer - across the modules - from dashboard to event page Integrity Monitoring (exa...	20.8s 
	The user add and pin new filer - across the modules - from dashboard to event page System Auditing (example...	17.9s 
	The user add and pin new filer - across the modules - from dashboard to event page Mitre & Attack (example #...	20.2s 
	The user add and pin new filer - across the modules - from dashboard to event page NIST (example #5)	21.9s 
	The user add and pin new filer - across the modules - from dashboard to event page TSC (example #6)	22.8s 

 cypress

 40m 38.3s

 31

 140

 132


 8

The user add and pin new filer - across the modules - from dashboard to event page PCIDSS (example #8)


24s 

## Pin filter - from event page


 3m 47.4s  8  8

 The user add and pin new filer - across the modules - from event page Security Events (example #1)


43.8s 

 The user add and pin new filer - across the modules - from event page Integrity Monitoring (example #2)


28s 

 The user add and pin new filer - across the modules - from event page System Auditing (example #3)


22.7s 

 The user add and pin new filer - across the modules - from event page Mitre & Attack (example #4)


25.4s 

 The user add and pin new filer - across the modules - from event page NIST (example #5)


28.7s 

 The user add and pin new filer - across the modules - from event page TSC (example #6)

25.8s 

 The user add and pin new filer - across the modules - from event page Policy Monitoring (example #7)


24.7s 

 The user add and pin new filer - across the modules - from event page PCIDSS (example #8)


27.8s 

## Pin filter - across the modules


 2m 43.4s  8 

 The user add and pin new filer - across the modules Security Events (example #1)

29s 

 The user add and pin new filer - across the modules Integrity Monitoring (example #2)

18.6s 

 The user add and pin new filer - across the modules System Auditing (example #3)

17.9s 

 cypress


 40m 38.3s

 31

 140

 132


 8


✓ The user add and pin new filter - across the modules Policy Monitoring (example #7) 18.5s 


✓ The user add and pin new filter - across the modules PCIDSS (example #8) 20.5s 


## Validate that the added filter label is remove after click remove filter option modules Dashboard


 1m 50.5s  8  8


✓ The user remove an added filter - Module - Dashboard Security Events (example #1) 22.3s 


✓ The user remove an added filter - Module - Dashboard Integrity Monitoring (example #2) 12.4s 

✓ The user remove an added filter - Module - Dashboard System Auditing (example #3) 11.1s 

✓ The user remove an added filter - Module - Dashboard Mitre & Attack (example #4) 13s 

✓ The user remove an added filter - Module - Dashboard NIST (example #5) 13.2s 

✓ The user remove an added filter - Module - Dashboard TSC (example #6) 14.3s 


✓ The user remove an added filter - Module - Dashboard Policy Monitoring (example #7) 12.1s 


✓ The user remove an added filter - Module - Dashboard PCIDSS (example #8) 11.8s 

## Validate that the added filter label is remove after click remove filter option modules Events

 2m 51.5s  9  9

✓ The user remove an added filter - Module - Events Security Events (example #1) 31.4s 

✓ The user remove an added filter - Module - Events Integrity Monitoring (example #2) 18.3s 

✓ The user remove an added filter - Module - Events System Auditing (example #3) 17.4s 

✓ The user remove an added filter - Module - Events Vulnerabilities (example #4) 15.9s 

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

✓ The user remove an added filter - Module - Events Policy Monitoring (example #8) 17.5s 🕒

✓ The user remove an added filter - Module - Events PCIDSS (example #9) 17.8s 🕒

### Should Displayes a message to restart the cluster after saves ^

🕒 14.6s 📄 1 ✓ 1

✓ Validate creation message is displayed after creating a new decoder 14.6s 🕒

### Should Displayes a warning modal - Management - edit decoders ^

🕒 14.6s 📄 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit decoders 14.6s 🕒

### Should List Decoders And Show The Pager ^

🕒 19.4s 📄 3 ✓ 3

✓ Should List Decoders And Show The Pager 11.1s 🕒

✓ Should List Custom Decoders And Show The Pager 3.2s 🕒

✓ Should can edit a decoder 5s 🕒

### Should Displayes a warning modal - Management - edit groups ^

🕒 13.5s 📄 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit groups 13.5s 🕒

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

✗	Create a report from modules and agents Integrity Monitoring (example #2)	25.8s	🕒
AssertionError: Timed out retrying after 8000ms: expected '<span.euiTableCellContent__text>' to contain 'agents-001-undefined'			
✓	Create a report from modules and agents System Auditing (example #3)	19.2s	🕒
✓	Create a report from modules and agents Mitre & Attack (example #4)	20.2s	🕒
✓	Create a report from modules and agents NIST (example #5)	20.4s	🕒
✓	Create a report from modules and agents TSC (example #6)	22.3s	🕒
✓	Create a report from modules and agents Policy Monitoring (example #7)	19s	🕒
✓	Create a report from modules and agents PCIDSS (example #8)	21.5s	🕒

## Generating reports from modules



🕒 2m 2.4s

📄 8

✓ 7

✗ 1

✓	Create a report from modules Security Events (example #1)	21.2s	🕒
✗	Create a report from modules Integrity Monitoring (example #2)	19.2s	🕒
AssertionError: Timed out retrying after 8000ms: expected '<span.euiTableCellContent__text>' to contain undefined			
✓	Create a report from modules System Auditing (example #3)	12.7s	🕒
✓	Create a report from modules Mitre & Attack (example #4)	13.3s	🕒
✓	Create a report from modules NIST (example #5)	12.6s	🕒
✓	Create a report from modules TSC (example #6)	15.9s	🕒
✓	Create a report from modules Policy Monitoring (example #7)	12.1s	🕒
✓	Create a report from modules PCIDSS (example #8)	15s	🕒

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

### Should Displays a warning modal - Management - edit rules



🕒 14.8s 📄 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit rules

14.8s 🕒

### Validate Filter Rule refresh option is working fine



🕒 16.2s 📄 1 ✓ 1

✓ Filter Rule are displayed after refreshing the page (example #1)

16.2s 🕒

### Validate refresh option is working fine



🕒 15.4s 📄 1 ✗ 1

✗ Rules are displayed after refreshing the page

15.4s 🕒

AssertionError: expected 16 to equal 'IDClick to sort in ascending orderDescriptionClick to sort in ascending orderGroupsRegulatory complianceLevelClick to sort in ascending orderFileClick to sort in ascending orderPathClick to sort in ascending orderID1DescriptionGeneric template for all syslog rules.Groups syslogRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID2DescriptionGeneric template for all firewall rules.Groups firewallRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID3DescriptionGeneric template for all ids rules.Groups idsRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID4DescriptionGeneric template for all web rules.Groups web-logRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID5DescriptionGeneric template for all web proxy rules.GroupssquidRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID6DescriptionGeneric template for all windows rules.Groups windowsRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID6DescriptionGeneric template for all windows rules.Groups windowsRegulatory complianceLevel0FileTest-1665692325353233.xmlPathetc/rulesID6DescriptionGeneric template for all windows rules.Groups windowsRegulatory complianceLevel0FileTest-1665699991714234.xmlPathetc/rulesID6DescriptionGeneric template for all windows rules.Groups windowsRegulatory complianceLevel0FileTest-1665689664880233.xmlPathetc/rulesID7DescriptionGeneric template for all ossec rules.Groups ossecRegulatory complianceLevel0File0010-rules\_config.xmlPathruleset/rulesID200DescriptionGrouping of wazuh rules.Groups wazuhRegulatory complianceLevel0File0016-wazuh\_rules.xmlPathruleset/rulesID201DescriptionAgent event queue ruleGroups agent\_flooding, wazuhRegulatory complianceLevel0File0016-wazuh\_rules.xmlPathruleset/rulesID202DescriptionAgent event queue is level full.Groups agent\_flooding, wazuhRegulatory compliancePCI\_DSSGDPRL7File0016-wazuh\_rules.xmlPathruleset/rulesID203DescriptionAgent event queue is full. Events may be lost.Groups agent\_flooding, wazuhRegulatory compliancePCI\_DSSGDPRL9File0016-wazuh\_rules.xmlPathruleset/rulesID204DescriptionAgent event queue is flooded. Check the agent configuration.Groups agent\_flooding, wazuhRegulatory compliancePCI\_DSSGDPRL12File0016-wazuh\_rules.xmlPathruleset/rules'

### Should List Rules And Show The Pager



🕒 16.1s 📄 2 ✓ 2



≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

### Should List Rules filtered by Level be shown in the list of rules ^

🕒 12.8s 📄 1 ✓ 1

✓ Filter Rule By Level (example #1)

12.8s 🕒

### Validate paginator on Rule page ^

🕒 24.1s 📄 5 ✗ 5

✗ Rules are displayed when user clicks the first page

12.4s 🕒

Error: Step implementation missing for: The user see that the rule list is paginated

✗ Rules are displayed - Select a previous page

3.6s 🕒

Error: Step implementation missing for: The user see that the rule list is paginated

✗ Rules are displayed - Select a next page

1.8s 🕒

Error: Step implementation missing for: The user see that the rule list is paginated

✗ Rules are displayed - Last Page

4.2s 🕒

Error: Step implementation missing for: The user see that the rule list is paginated

✗ Rules are displayed - First Page

1.9s 🕒

Error: Step implementation missing for: The user see that the rule list is paginated

### Wazuh version information ^

🕒 14.3s 📄 1 ✓ 1

✓ Check Wazuh version information

14.3s 🕒

### API configuration instructions and connection validation ^

🕒 25.9s 📄 3 ✓ 3

✓ Check API configuration connection

15.8s 🕒

✓ See API configuration instructions

5.5s 🕒

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

🕒 33.6s 📄 1 ✓ 1

✓ Add configuration data

33.6s 🕒

## disable modules



🕒 1m 44.7s 📄 11 ✓ 11

✓ Disable modules, Amazon AWS (example #1)

16.9s 🕒

✓ Disable modules, Google Cloud Platform (example #2)

9.2s 🕒

✓ Disable modules, GitHub (example #3)

8.2s 🕒

✓ Disable modules, OpenSCAP (example #4)

9.1s 🕒

✓ Disable modules, CIS-CAT (example #5)

9.3s 🕒

✓ Disable modules, VirusTotal (example #6)

8.9s 🕒

✓ Disable modules, Osquery (example #7)

7.7s 🕒

✓ Disable modules, Docker listener (example #8)

8.5s 🕒

✓ Disable modules, GDPR (example #9)

7.8s 🕒

✓ Disable modules, HIPAA (example #10)

9.2s 🕒

✓ Disable modules, TSC (example #11)

9.5s 🕒

## enable modules



🕒 1m 29.2s 📄 11 ✓ 11

✓ Enable modules, Amazon AWS (example #1)

16.2s 🕒

✓ Enable modules, Google Cloud Platform (example #2)

7.2s 🕒

✓ Enable modules, GitHub (example #3)

7.1s 🕒

≡ cypress

🕒 40m 38.3s

📄 31

📄 140

✓ 132

✗ 8

✓	Enable modules, Osquery (example #7)	7.5s 🕒
✓	Enable modules, Docker listener (example #8)	6.2s 🕒
✓	Enable modules, GDPR (example #9)	7.7s 🕒
✓	Enable modules, HIPAA (example #10)	6s 🕒
✓	Enable modules, TSC (example #11)	7.6s 🕒

### Read Kibana logs ^

🕒 19.4s 📄 2 ✓ 2

✓	Check Kibana logs	14.1s 🕒
✓	Reload Kibana logs	5.3s 🕒

### Run health checks ^

🕒 15.8s 📄 1 ✓ 1

✓	Run health check	15.8s 🕒
---	------------------	---------

### Add/Delete Sample data to modules ^

🕒 1m 16.5s 📄 2 ✓ 2

✓	Add all sample data	1m 3s 🕒
✓	Delete all sample data	13.4s 🕒