

☰ cypress

⌚ 41m 0.2s

✓ 137

⌚ 32

✗ 8

⌚ 145

Validate that the config to added new agent

⌚ 17.6s ⏱ 1 ✓ 1

✓ Validate the information to add a new Agent (example #1)

17.6s ⓘ

Validate that the pinned filter label is displayed - from event page

⌚ 3m 27.7s ⏱ 8 ✓ 8

✓ The user add and pin filter - Check across the modules - from event page - Security Events (example #1)
37.6s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - Integrity Monitoring (example #2)
22.7s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - System Auditing (example #3)
22.4s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - Mitre & Attack (example #4)
22.8s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - NIST (example #5) 25.8s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - TSC (example #6) 27.2s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - Policy Monitoring (example #7)
21.3s ⓘ

✓ The user add and pin filter - Check across the modules - from event page - PCI DSS (example #8)
27.6s ⓘ

cypress

⌚ 41m 0.2s

⌚ 32

⌚ 145

✓ 137

✗ 8

✓ The user add and pin filter - Check across the modules Integrity Monitoring (example #2)	19.5s	⌚
✓ The user add and pin filter - Check across the modules System Auditing (example #3)	19.8s	⌚
✓ The user add and pin filter - Check across the modules Mitre & Attack (example #4)	20.5s	⌚
✓ The user add and pin filter - Check across the modules NIST (example #5)	21s	⌚
✓ The user add and pin filter - Check across the modules TSC (example #6)	19.9s	⌚
✓ The user add and pin filter - Check across the modules Policy Monitoring (example #7)	20s	⌚
✓ The user add and pin filter - Check across the modules PCI DSS (example #8)	20.5s	⌚

Validate that the added filter label is displayed from the events page

⌚ 2m 34.3s ⌚ 8 ✓ 8

✓ The user add a new filer from the events page Security Events (example #1)	30.4s	⌚
✓ The user add a new filer from the events page Integrity Monitoring (example #2)	15.7s	⌚
✓ The user add a new filer from the events page System Auditing (example #3)	15.9s	⌚
✓ The user add a new filer from the events page Mitre & Attack (example #4)	16.2s	⌚
✓ The user add a new filer from the events page NIST (example #5)	19.3s	⌚
✓ The user add a new filer from the events page TSC (example #6)	20s	⌚
✓ The user add a new filer from the events page Policy Monitoring (example #7)	16s	⌚
✓ The user add a new filer from the events page PCI DSS (example #8)	20.5s	⌚

Validate that the added filter label is displayed

⌚ 2m 16.7s ⌚ 8 ✓ 8

cypress

⌚ 41m 0.2s

⌚ 32

⌚ 145

✓ 137

✗ 8

✓ The user add a new filer Mitre & Attack (example #4)	15.3s ⓘ
✓ The user add a new filer NIST (example #5)	16.6s ⓘ
✓ The user add a new filer TSC (example #6)	15.9s ⓘ
✓ The user add a new filer Policy Monitoring (example #7)	15s ⓘ
✓ The user add a new filer PCIDSS (example #8)	16.3s ⓘ

Pin filter - from dashboard to event page ^

⌚ 2m 36.5s ⏱ 8 ✓ 8



The user add and pin new filer - across the modules - from dashboard to event page Security Events (example ...
29.9s ⓘ



The user add and pin new filer - across the modules - from dashboard to event page Integrity Monitoring (exa...
17.8s ⓘ



The user add and pin new filer - across the modules - from dashboard to event page System Auditing (example...
16.9s ⓘ



The user add and pin new filer - across the modules - from dashboard to event page Mitre & Attack (example #...
17.1s ⓘ



The user add and pin new filer - across the modules - from dashboard to event page NIST (example #5)
19.5s ⓘ



The user add and pin new filer - across the modules - from dashboard to event page TSC (example #6)
18.6s ⓘ

cypress

⌚ 41m 0.2s

✓ 137

⌚ 32

✗ 8

⌚ 145

The user add and pin new filer - across the modules - from dashboard to event page PCIDSS (example #8)

19.1s ⌚

Pin filter - from event page

⌚ 3m 3.7s ⏱ 8 ✓ 8

✓ The user add and pin new filer - across the modules - from event page Security Events (example #1)

34.4s ⌚

✓ The user add and pin new filer - across the modules - from event page Integrity Monitoring (example #2)

18.4s ⌚

✓ The user add and pin new filer - across the modules - from event page System Auditing (example #3)

19.3s ⌚

✓ The user add and pin new filer - across the modules - from event page Mitre & Attack (example #4)

18.8s ⌚

✓ The user add and pin new filer - across the modules - from event page NIST (example #5) 24.8s ⌚

✓ The user add and pin new filer - across the modules - from event page TSC (example #6) 24.8s ⌚

✓ The user add and pin new filer - across the modules - from event page Policy Monitoring (example #7)

18.4s ⌚

✓ The user add and pin new filer - across the modules - from event page PCIDSS (example #8) 24.5s ⌚

Pin filter - across the modules

⌚ 2m 32.3s ⏱ 8 ✓ 8

✓ The user add and pin new filer - across the modules Security Events (example #1) 29.6s ⌚

✓ The user add and pin new filer - across the modules Integrity Monitoring (example #2) 17.9s ⌚

✓ The user add and pin new filer - across the modules System Auditing (example #3) 16.7s ⌚

cypress

⌚ 41m 0.2s

✓ 137

⌚ 32

✗ 8

⌚ 145

✓ The user add and pin new filer - across the modules Policy Monitoring (example #7) 17s ⓘ

✓ The user add and pin new filer - across the modules PCI DSS (example #8) 18.4s ⓘ

Validate that the added filter label is remove after click remove filter option modules Dashboard

⌚ 1m 43.3s ⏱ 8 ✓ 8

✓ The user remove an added filter - Module - Dashboard Security Events (example #1) 22.7s ⓘ

✓ The user remove an added filter - Module - Dashboard Integrity Monitoring (example #2) 11.6s ⓘ

✓ The user remove an added filter - Module - Dashboard System Auditing (example #3) 11.8s ⓘ

✓ The user remove an added filter - Module - Dashboard Mitre & Attack (example #4) 10.9s ⓘ

✓ The user remove an added filter - Module - Dashboard NIST (example #5) 11.9s ⓘ

✓ The user remove an added filter - Module - Dashboard TSC (example #6) 11.1s ⓘ

✓ The user remove an added filter - Module - Dashboard Policy Monitoring (example #7) 11.9s ⓘ

✓ The user remove an added filter - Module - Dashboard PCI DSS (example #8) 11s ⓘ

Validate that the added filter label is remove after click remove filter option modules Events

⌚ 2m 11.5s ⏱ 9 ✓ 9

✓ The user remove an added filter - Module - Events Security Events (example #1) 25.2s ⓘ

✓ The user remove an added filter - Module - Events Integrity Monitoring (example #2) 11.8s ⓘ

✓ The user remove an added filter - Module - Events System Auditing (example #3) 10.4s ⓘ

✓ The user remove an added filter - Module - Events Vulnerabilities (example #4) 12.2s ⓘ

☰ cypress

⌚ 41m 0.2s

✓ 137

⌚ 32

✗ 8

⌚ 145

✓ The user remove an added filter - Module - Events Policy Monitoring (example #8) 11.8s ⓘ

✓ The user remove an added filter - Module - Events PCIDSS (example #9) 14.4s ⓘ

Should Displayes a message to restart the cluster after saves ^

⌚ 16s ⏱ 1 ✓ 1

✓ Validate creation message is displayed after creating a new decoder 16s ⓘ

Should Displayes a warning modal - Management - edit decoders ^

⌚ 16.1s ⏱ 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit decoders 16.1s ⓘ

Should List Decoders And Show The Pager ^

⌚ 26.6s ⏱ 3 ✓ 3

✓ Should List Decoders And Show The Pager 15.2s ⓘ

✓ Should List Custom Decoders And Show The Pager 4.1s ⓘ

✓ Should can edit a decoder 7.3s ⓘ

Should Displayes a warning modal - Management - edit groups ^

⌚ 15.2s ⏱ 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit groups 15.2s ⓘ

☰ cypress

⌚ 41m 0.2s

⌚ 32

⌚ 145

✓ 137

✗ 8

15.2s ⏱

✗ Create a report from modules and agents Integrity Monitoring (example #2)

AssertionError: Timed out retrying after 8000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules and agents System Auditing (example #3)

AssertionError: Timed out retrying after 8000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✓ Create a report from modules and agents Mitre & Attack (example #4)

17s ⏱

✓ Create a report from modules and agents NIST (example #5)

17.8s ⏱

✓ Create a report from modules and agents TSC (example #6)

17.7s ⏱

✗ Create a report from modules and agents Policy Monitoring (example #7)

15.4s ⏱

AssertionError: Timed out retrying after 8000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✓ Create a report from modules and agents PCI DSS (example #8)

19.6s ⏱

Generating reports from modules

⌚ 1m 55s 📈 8 ✓ 5 ✗ 3

✓ Create a report from modules Security Events (example #1)

20s ⏱

✗ Create a report from modules Integrity Monitoring (example #2)

14.6s ⏱

AssertionError: Timed out retrying after 8000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules System Auditing (example #3)

15.1s ⏱

AssertionError: Timed out retrying after 8000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✓ Create a report from modules Mitre & Attack (example #4)

11.7s ⏱

✓ Create a report from modules NIST (example #5)

12.4s ⏱

✓ Create a report from modules TSC (example #6)

12.1s ⏱

☰ cypress

⌚ 41m 0.2s

✓ 137

⌚ 32

✗ 8

⌚ 145

Should Displayes a message to restart the cluster after saves ^

⌚ 19.5s ⏱ 1 ✓ 1

✓ Validate creation message is displayed after creating a new rule

19.5s ⓘ

Should Displayes a warning modal - Management - edit rules ^

⌚ 17s ⏱ 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit rules

17s ⓘ

Validate Filter Rule refresh option is working fine ^

⌚ 18s ⏱ 1 ✓ 1

✓ Filter Rule are displayed after refreshing the page (example #1)

18s ⓘ

Validate refresh option is working fine ^

⌚ 17.4s ⏱ 1 ✓ 1

✓ Rules are displayed after refreshing the page

17.4s ⓘ

Should List Rules And Show The Pager ^

⌚ 21.2s ⏱ 2 ✓ 2

✓ Should List Rules And Show The Pager

16s ⓘ

✓ Should List Custom Rules And Show The Pager

5.1s ⓘ

Should List Rules filtered by Level be shown in the list of rules ^

⌚ 15.2s ⏱ 1 ✓ 1

☰ cypress

⌚ 41m 0.2s

⌚ 32

⌚ 145

✓ 137

✗ 8

⌚ 1m 28.1s ⏱ 5 ✓ 5

- ✓ Rules are displayed when user clicks the first page 27.9s ⓘ
- ✓ Rules are displayed - Select a previous page 18.2s ⓘ
- ✓ Rules are displayed - Select a next page 18.4s ⓘ
- ✓ Rules are displayed - Last Page 11.6s ⓘ
- ✓ Rules are displayed - First Page 11.8s ⓘ

Validate row dropdown on Rule page ^

⌚ 51.7s ⏱ 5 ✓ 5

- ✓ Rules are displayed - Select 10 rows 18s ⓘ
- ✓ Rules are displayed - Select 15 rows 8.6s ⓘ
- ✓ Rules are displayed - Select 25 rows 7.7s ⓘ
- ✓ Rules are displayed - Select 50 rows 8.3s ⓘ
- ✓ Rules are displayed - Select 100 rows 8.9s ⓘ

Wazuh version information ^

⌚ 17.4s ⏱ 1 ✓ 1

- ✓ Check Wazuh version information 17.4s ⓘ

API configuration instructions and connection validation ^

⌚ 1m 11.4s ⏱ 3 ✓ 2 ✗ 1

- ✓ Check API configuration connection 17.6s ⓘ

☰ cypress

⌚ 41m 0.2s

✓ 137

⌚ 32

✗ 8

⌚ 145

add Configuration to modules

⌚ 36.1s ⏱ 1 ✓ 1

✓ Add configuration data

36.1s ⌚

disable modules

⌚ 2m 9.5s ⏱ 11 ✓ 11

✓ Disable modules, Amazon AWS (example #1)

21.8s ⌚

✓ Disable modules, Google Cloud Platform (example #2)

11.4s ⌚

✓ Disable modules, GitHub (example #3)

10.6s ⌚

✓ Disable modules, OpenSCAP (example #4)

10.9s ⌚

✓ Disable modules, CIS-CAT (example #5)

11.2s ⌚

✓ Disable modules, VirusTotal (example #6)

10.6s ⌚

✓ Disable modules, Osquery (example #7)

10.8s ⌚

✓ Disable modules, Docker listener (example #8)

9.8s ⌚

✓ Disable modules, GDPR (example #9)

10.2s ⌚

✓ Disable modules, HIPAA (example #10)

11s ⌚

✓ Disable modules, TSC (example #11)

10.8s ⌚

enable modules

⌚ 2m 0.7s ⏱ 11 ✓ 10 ✗ 1

✓ Enable modules, Amazon AWS (example #1)

19.2s ⌚

☰ cypress

⌚ 41m 0.2s

⌚ 32

⌚ 145

✓ 137

✗ 8

✓ Enable modules, CIS-CAT (example #5)	9.2s ⓘ
✗ Enable modules, VirusTotal (example #6)	11.3s ⓘ
<p>AssertionError: Timed out retrying after 8000ms: Expected to find element: `react-component button[aria-checked="true"]`, but never found it.</p>	
✓ Enable modules, Osquery (example #7)	10.5s ⓘ
✓ Enable modules, Docker listener (example #8)	10s ⓘ
✓ Enable modules, GDPR (example #9)	10.7s ⓘ
✓ Enable modules, HIPAA (example #10)	10s ⓘ
✓ Enable modules, TSC (example #11)	10.9s ⓘ

Read Kibana logs

⌚ 25.5s ⏱ 2 ✓ 2

✓ Check Kibana logs	16.9s ⓘ
✓ Reload Kibana logs	8.6s ⓘ

Run health checks

⌚ 17.7s ⏱ 1 ✓ 1

✓ Run health check	17.7s ⓘ
--------------------	---------

Add/Delete Sample data to modules

⌚ 42.4s ⏱ 2 ✓ 2

✓ Add all sample data	29.1s ⓘ
✓ Delete all sample data	13.3s ⓘ

 cypress 41m 0.2s 32 137 8 145