

ত্ৰ 1h 2m 18.8s

66

62

Validate that the config to added new agent

Ō 1m 9.8s **自** 1 ✓ 1



Validate the information to add a new Agent (example #1)

1m 9.8s Ō

Validate that the pinned filter label is displayed - from event page

Ō 10m 51.9s **自** 8 ✓ 8

The user add and pin filter - Check across the modules - from event page - Security Events (example #1) 2m 11.3s 🛈

The user add and pin filter - Check across the modules - from event page - Integrity Monitoring (example #2) 1m 1.3s Ō

The user add and pin filter - Check across the modules - from event page - System Auditing (example #3) 59s 🛈

The user add and pin filter - Check across the modules - from event page - Mitre & Attack (example #4) 1m 2.3s 🛈

The user add and pin filter - Check across the modules - from event page - NIST (example #5) 1m 35.4s (T)

The user add and pin filter - Check across the modules - from event page - TSC (example #6) 1m 32.6s (1)

The user add and pin filter - Check across the modules - from event page - Policy Monitoring (example #7) 1m 1.9s Ō

The user add and pin filter - Check across the modules - from event page - PCIDSS (example #8) 1m 27.7s 🛈

cypress

① 1h 2m 18.8s

66

√ 62

× 4

~	The user add and pin filter - Check across the modules Integrity Monitoring (example #2)	59.6s Ō
	The user add and pin filter - Check across the modules System Auditing (example #3)	56.8s Ō
~	The user add and pin filter - Check across the modules Mitre & Attack (example #4)	58.9s Ō
/	The user add and pin filter - Check across the modules NIST (example #5)	1m 4.2s Ō
~	The user add and pin filter - Check across the modules TSC (example #6)	1m 0.2s Ō
~	The user add and pin filter - Check across the modules Policy Monitoring (example #7)	57.6s Ō
~	The user add and pin filter - Check across the modules PCIDSS (example #8)	1m 2.8s Ō

Validate that the added filter label is displayed from the events page Ō 6m 47.2s ■ 8 ✓ 7 × 1			
C 6111 47.25 2 0 7 7 7 1			
The user add a new filer from the events page Security Events (example #1)	1m 32s Ō		
The user add a new filer from the events page Integrity Monitoring (example #2)	40.4s Ō		
The user add a new filer from the events page System Auditing (example #3)	35.2s Ō		
The user add a new filer from the events page Mitre & Attack (example #4)	35.3s Ō		
The user add a new filer from the events page NIST (example #5)	58.2s Ō		
X The user add a new filer from the events page TSC (example #6)	38.9s Ō		
AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiPopoverpanel-isOpen .euiFlexItem.euiFlexItem—flexGrowZero .euiForm`, but never found it.			
The user add a new filer from the events page Policy Monitoring (example #7)	43.5s Ō		
The user add a new filer from the events page PCIDSS (example #8)	1m 3.4s Ō		

cypress

① 1h 2m 18.8s


17

66

√ 62

× 4

✓ The user add a new filer Integrity Monitoring (example #2)	40.4s Ō
✓ The user add a new filer System Auditing (example #3)	36.3s Ō
The user add a new filer Mitre & Attack (example #4)	34.9s Ō
✓ The user add a new filer NIST (example #5)	40.8s Ō
✓ The user add a new filer TSC (example #6)	39.6s Ō
The user add a new filer Policy Monitoring (example #7)	36.4s Ō
✓ The user add a new filer PCIDSS (example #8)	43s Ō





(i) 1h 2m 18.8s

i**目** 17

66

62

 \times 4





The user add and pin new filer - across the modules - from dashboard to event page PCIDSS (example #8)

47.6s 🛈

Pin filter - from event page



Ō 9m 19.7s **🖹** 8 ✓ 7 🗶 1







The user add and pin new filer - across the modules - from event page Security Events (example #1)

1m 8.6s 🛈

AssertionError: Timed out retrying after 18000ms: Expected to find element: `.euiPopover__panel-isOpen .euiFlexItem.euiFlexItem--flexGrowZero .euiForm`, but never found it.

The user add and pin new filer - across the modules - from event page Integrity Monitoring (example #2)

59.5s 🛈

The user add and pin new filer - across the modules - from event page System Auditing (example #3)

58.2s 🛈

The user add and pin new filer - across the modules - from event page Mitre & Attack (example #4)

58.9s 🛈

The user add and pin new filer - across the modules - from event page NIST (example #5)

1m 27.1s 🛈

The user add and pin new filer - across the modules - from event page TSC (example #6)

1m 29.8s (T)

The user add and pin new filer - across the modules - from event page Policy Monitoring (example #7)

51.5s (T)

The user add and pin new filer - across the modules - from event page PCIDSS (example #8)

1m 25.8s 🛈


Should Displayes a message to restart the cluster after saves




Ō 57.5s **🖹** 1 ✓ 1









©2022 Mochawesome was designed and built by Adam Gruber • v6.2.0

AssertionError: Timed out retrying after 15000ms: expected '
button.euiButton.euiButton-danger>' to have text 'Add data',

but the text was 'Remove data'