

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

Validate that the config to added new agent ^

🕒 56.4s 📄 1 ✗ 1

✗ Validate the information to add a new Agent (example #1) 56.4s 🕒

AssertionError: Timed out retrying after 40000ms: expected '<span.euiButtonEmpty__text>' to be 'visible' This element '<span.euiButtonEmpty__text>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

Validate that the pinned filter label is displayed - from event page ^

🕒 3m 9.2s 📄 8 ✗ 8

✗ The user add and pin filter - Check across the modules - from event page - Security Events (example #1)
 34.6s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules - from event page - Integrity Monitoring (example #2)
 21.1s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules - from event page - System Auditing (example #3)
 21.4s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules - from event page - Mitre & Attack (example #4)
 22s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✗ The user add and pin filter - Check across the modules - from event page - TSC (example #6) 22.5s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗

The user add and pin filter - Check across the modules - from event page - Policy Monitoring (example #7)

22.6s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules - from event page - PCIDSS (example #8) 23s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

Validate that the pinned filter label is displayed



🕒 3m 8.3s 📄 8 ✗ 8

✗ The user add and pin filter - Check across the modules Security Events (example #1) 34.7s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules Integrity Monitoring (example #2) 21s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules System Auditing (example #3) 21.4s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules Mitre & Attack (example #4) 21.7s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✗ The user add and pin filter - Check across the modules TSC (example #6)

22.3s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules Policy Monitoring (example #7)

22.3s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

✗ The user add and pin filter - Check across the modules PCIDSS (example #8)

22.8s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' to be 'visible' This element '<div.euiFlexGroup.euiFlexGroup--gutterLarge.euiFlexGroup--directionRow.euiFlexGroup--responsive>' is not visible because its parent '<div.ng-hide>' has CSS property: 'display: none'

Validate that the added filter label is displayed from the events page ^

🕒 2m 11.9s 📄 8 ✓ 8

✓ The user add a new filer from the events page Security Events (example #1)

29.5s 🕒

✓ The user add a new filer from the events page Integrity Monitoring (example #2)

14.4s 🕒

✓ The user add a new filer from the events page System Auditing (example #3)

14.8s 🕒

✓ The user add a new filer from the events page Mitre & Attack (example #4)

14.3s 🕒

✓ The user add a new filer from the events page NIST (example #5)

14.8s 🕒

✓ The user add a new filer from the events page TSC (example #6)

14.6s 🕒

✓ The user add a new filer from the events page Policy Monitoring (example #7)

14.4s 🕒

✓ The user add a new filer from the events page PCIDSS (example #8)

14.9s 🕒

Validate that the added filter label is displayed ^

🕒 2m 10.5s 📄 8 ✓ 8

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✓	The user add a new filer Mitre & Attack (example #4)	14.2s 🕒
✓	The user add a new filer NIST (example #5)	14.5s 🕒
✓	The user add a new filer TSC (example #6)	14.5s 🕒
✓	The user add a new filer Policy Monitoring (example #7)	14.3s 🕒
✓	The user add a new filer PCIDSS (example #8)	14.8s 🕒

Pin filter - from dashboard to event page ^

🕒 2m 23.8s 📄 8 ✓ 8

✓	The user add and pin new filer - across the modules - from dashboard to event page Security Events (example ...)	31.4s 🕒
✓	The user add and pin new filer - across the modules - from dashboard to event page Integrity Monitoring (exa...)	16.1s 🕒
✓	The user add and pin new filer - across the modules - from dashboard to event page System Auditing (example...)	15.9s 🕒
✓	The user add and pin new filer - across the modules - from dashboard to event page Mitre & Attack (example #...)	15.6s 🕒
✓	The user add and pin new filer - across the modules - from dashboard to event page NIST (example #5)	16.1s 🕒
✓	The user add and pin new filer - across the modules - from dashboard to event page TSC (example #6)	16.3s 🕒

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

The user add and pin new filer - across the modules - from dashboard to event page PCIDSS (example #8)

16.1s 🕒

Pin filter - from event page



🕒 2m 24.4s 📄 8 ✓ 8

✓ The user add and pin new filer - across the modules - from event page Security Events (example #1)

30.9s 🕒

✓ The user add and pin new filer - across the modules - from event page Integrity Monitoring (example #2)

16s 🕒

✓ The user add and pin new filer - across the modules - from event page System Auditing (example #3)

16.1s 🕒

✓ The user add and pin new filer - across the modules - from event page Mitre & Attack (example #4)

16.2s 🕒

✓ The user add and pin new filer - across the modules - from event page NIST (example #5)

16.2s 🕒

✓ The user add and pin new filer - across the modules - from event page TSC (example #6)

16.2s 🕒

✓ The user add and pin new filer - across the modules - from event page Policy Monitoring (example #7)

16.1s 🕒

✓ The user add and pin new filer - across the modules - from event page PCIDSS (example #8)

16.4s 🕒

Pin filter - across the modules



🕒 2m 21.8s 📄 8 ✓ 8

✓ The user add and pin new filer - across the modules Security Events (example #1)

30.7s 🕒

✓ The user add and pin new filer - across the modules Integrity Monitoring (example #2)

15.6s 🕒

✓ The user add and pin new filer - across the modules System Auditing (example #3)

15.6s 🕒

 cypress

 46m 9.3s

 33

 155

 125


 30


✓ The user add and pin new filter - across the modules Policy Monitoring (example #7) 15.8s 


✓ The user add and pin new filter - across the modules PCIDSS (example #8) 15.9s 


Validate that the added filter label is remove after click remove filter option modules Dashboard


 1m 37.4s  8  8


✓ The user remove an added filter - Module - Dashboard Security Events (example #1) 25.5s 


✓ The user remove an added filter - Module - Dashboard Integrity Monitoring (example #2) 10.4s 


✓ The user remove an added filter - Module - Dashboard System Auditing (example #3) 10.1s 

✓ The user remove an added filter - Module - Dashboard Mitre & Attack (example #4) 10.6s 

✓ The user remove an added filter - Module - Dashboard NIST (example #5) 10.7s 

✓ The user remove an added filter - Module - Dashboard TSC (example #6) 9.5s 


✓ The user remove an added filter - Module - Dashboard Policy Monitoring (example #7) 10.4s 


✓ The user remove an added filter - Module - Dashboard PCIDSS (example #8) 9.9s 

Validate that the added filter label is remove after click remove filter option modules Events

 1m 51.3s  9  9

✓ The user remove an added filter - Module - Events Security Events (example #1) 25.3s 

✓ The user remove an added filter - Module - Events Integrity Monitoring (example #2) 10.6s 

✓ The user remove an added filter - Module - Events System Auditing (example #3) 10.6s 

✓ The user remove an added filter - Module - Events Vulnerabilities (example #4) 10.6s 

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✓ The user remove an added filter - Module - Events Policy Monitoring (example #8) 10.7s 🕒

✓ The user remove an added filter - Module - Events PCIDSS (example #9) 10.5s 🕒

Search by parameters ^

🕒 2m 34.3s 📄 10 ✓ 10

✓ Search by parameters with AND (example #1) 31s 🕒

✓ Search by parameters with AND (example #2) 12.7s 🕒

✓ Search by parameters with AND (example #3) 12.4s 🕒

✓ Search by parameters with AND (example #4) 13.3s 🕒

✓ Search by parameters with AND (example #5) 14.6s 🕒

✓ Search by parameters with OR (example #1) 15.3s 🕒

✓ Search by parameters with OR (example #2) 14.7s 🕒

✓ Search by parameters with OR (example #3) 13.7s 🕒

✓ Search by parameters with OR (example #4) 13.1s 🕒

✓ Search by parameters with OR (example #5) 13.1s 🕒

Should Displays a message to restart the cluster after saves ^

🕒 20.3s 📄 1 ✓ 1

✓ Validate creation message is displayed after creating a new decoder 20.3s 🕒

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✓ Validate confirmation when closing modal without saving - Management - edit decoders 19.4s 🕒

Should List Decoders And Show The Pager ^

🕒 26.6s 📄 3 ✓ 3

✓ Should List Decoders And Show The Pager 17.2s 🕒

✓ Should List Custom Decoders And Show The Pager 4.7s 🕒

✓ Should can edit a decoder 4.6s 🕒

Should Displayes a warning modal - Management - edit groups ^

🕒 17.9s 📄 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit groups 17.9s 🕒

Generating reports from module and agents ^

🕒 5m 11.7s 📄 8 ✗ 8

✗ Create a report from modules and agents Security Events (example #1) 52s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<span.euiTableCellContent__text>' to contain 'agents-No results found-general'

✗ Create a report from modules and agents Integrity Monitoring (example #2) 29.9s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules and agents System Auditing (example #3) 30s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules and agents Mitre & Attack (example #4) 30s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

AssertionError: Timed out retrying after 18000ms: expected '<span.euiTableCellContent__text>' to contain 'agents-No results found-tsc'

✗ Create a report from modules and agents Policy Monitoring (example #7) 32s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules and agents PCIDSS (example #8) 48.2s 🕒

AssertionError: Timed out retrying after 18000ms: expected '<span.euiTableCellContent__text>' to contain 'agents-No results found-pci'

Generating reports from modules



🕒 3m 17.7s 📄 8 ✓ 4 ✗ 4

✓ Create a report from modules Security Events (example #1) 28.5s 🕒

✗ Create a report from modules Integrity Monitoring (example #2) 28.9s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules System Auditing (example #3) 29.2s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✗ Create a report from modules Mitre & Attack (example #4) 29.5s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✓ Create a report from modules NIST (example #5) 16.7s 🕒

✓ Create a report from modules TSC (example #6) 17.5s 🕒

✗ Create a report from modules Policy Monitoring (example #7) 29.8s 🕒

AssertionError: Timed out retrying after 18000ms: Expected <button.euiButtonEmpty.euiButtonEmpty--primary.euiButtonEmpty-isDisabled> not to exist in the DOM, but it was continuously found.

✓ Create a report from modules PCIDSS (example #8) 17.3s 🕒

≡ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

Should Displays a warning modal - Management - edit rules ^

🕒 18.8s 📄 1 ✓ 1

✓ Validate confirmation when closing modal without saving - Management - edit rules

18.8s 🕒

Validate Filter Rule refresh option is working fine ^

🕒 21.5s 📄 1 ✓ 1

✓ Filter Rule are displayed after refreshing the page (example #1)

21.5s 🕒

Validate refresh option is working fine ^

🕒 20s 📄 1 ✓ 1

✓ Rules are displayed after refreshing the page

20s 🕒

Should List Rules And Show The Pager ^

🕒 20.5s 📄 2 ✓ 2

✓ Should List Rules And Show The Pager

17.1s 🕒

✓ Should List Custom Rules And Show The Pager

3.4s 🕒

Should List Rules filtered by Level be shown in the list of rules ^

🕒 19s 📄 1 ✓ 1

✓ Filter Rule By Level (example #1)

19s 🕒

Validate paginator on Rule page ^

🕒 1m 17.4s 📄 5 ✓ 5

☰ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✓ Rules are displayed - Last Page

9.3s 🕒

✓ Rules are displayed - First Page

9.2s 🕒

Validate row dropdown on Rule page ^

🕒 42.1s 📄 5 ✓ 5

✓ Rules are displayed - Select 10 rows

20.2s 🕒

✓ Rules are displayed - Select 15 rows

5.9s 🕒

✓ Rules are displayed - Select 25 rows

6.2s 🕒

✓ Rules are displayed - Select 50 rows

4.7s 🕒

✓ Rules are displayed - Select 100 rows

4.8s 🕒

Wazuh version information ^

🕒 19.7s 📄 1 ✓ 1

✓ Check Wazuh version information

19.7s 🕒

API configuration instructions and connection validation ^

🕒 1m 10.3s 📄 3 ✓ 2 ✗ 1

✓ Check API configuration connection

20.2s 🕒

✓ See API configuration instructions

4.6s 🕒

✗ See API configuration instructions

45.4s 🕒

AssertionError: Timed out retrying after 40000ms: Expected to find element: `tbody tr td`, but never found it.

☰ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

disable modules



🕒 1m 44.6s 📄 11 ✓ 11

✓	Disable modules, Amazon AWS (example #1)	23.3s	🕒
✓	Disable modules, Google Cloud Platform (example #2)	8s	🕒
✓	Disable modules, GitHub (example #3)	8.1s	🕒
✓	Disable modules, OpenSCAP (example #4)	8.1s	🕒
✓	Disable modules, CIS-CAT (example #5)	8.1s	🕒
✓	Disable modules, VirusTotal (example #6)	8.3s	🕒
✓	Disable modules, Osquery (example #7)	8.3s	🕒
✓	Disable modules, Docker listener (example #8)	8.1s	🕒
✓	Disable modules, GDPR (example #9)	8s	🕒
✓	Disable modules, HIPAA (example #10)	8.2s	🕒
✓	Disable modules, TSC (example #11)	7.5s	🕒

enable modules



🕒 1m 29.4s 📄 11 ✓ 11

✓	Enable modules, Amazon AWS (example #1)	21.4s	🕒
✓	Enable modules, Google Cloud Platform (example #2)	6.9s	🕒
✓	Enable modules, GitHub (example #3)	6.8s	🕒
✓	Enable modules, OpenSCAP (example #4)	6.9s	🕒

☰ cypress

🕒 46m 9.3s

📄 33

📄 155

✓ 125

✗ 30

✓	Enable modules, Docker listener (example #8)	6.8s 🕒
✓	Enable modules, GDPR (example #9)	6.9s 🕒
✓	Enable modules, HIPAA (example #10)	7s 🕒
✓	Enable modules, TSC (example #11)	7s 🕒

Read Kibana logs ^

🕒 24.9s 📄 2 ✓ 2

✓	Check Kibana logs	19.2s 🕒
✓	Reload Kibana logs	5.6s 🕒

Run health checks ^

🕒 19.5s 📄 1 ✓ 1

✓	Run health check	19.5s 🕒
---	------------------	---------

Add/Delete Sample data to modules ^

🕒 1m 16.7s 📄 2 ✓ 2

✓	Add all sample data	1m 3.4s 🕒
✓	Delete all sample data	13.2s 🕒